

Levin Landfill October 2022

Quarterly Groundwater, Surface Water and Leachate Monitoring Report

PREPARED FOR Horowhenua District Council | November 2022

We design with community in mind

Revision Schedule

Rev No	Date	Description	Signature of Typed Name (documentation on file)			
			Prepared by	Checked by	Reviewed by	Approved by
2	27/02/2023	Final	F. MacLeod	P. Landmark	J. Grinter	R. Hulme







The conclusions in the Report titled "*Levin Landfill October 2022 Quarterly Groundwater, Surface Water and Leachate Monitoring Report*" are Stantec's professional opinion, as of the time of the Report, and concerning the scope described in the Report. The opinions in the document are based on conditions and information existing at the time the scope of work was conducted and do not take into account any subsequent changes. The Report relates solely to the specific project for which Stantec was retained and the stated purpose for which the Report was prepared. The Report is not to be used or relied on for any variation or extension of the project, or for any other project or purpose, and any unauthorized use or reliance is at the recipient's own risk.

Stantec has assumed all information received from Horowhenua District Council (the "Client") and third parties in the preparation of the Report to be correct. While Stantec has exercised a customary level of judgment or due diligence in the use of such information, Stantec assumes no responsibility for the consequences of any error or omission contained therein.

This Report is intended solely for use by the Client in accordance with Stantec's contract with the Client. While the Report may be provided to applicable authorities having jurisdiction and others for whom the Client is responsible, Stantec does not warrant the services to any third party. The report may not be relied upon by any other party without the express written consent of Stantec, which may be withheld at Stantec's discretion.

Quality Statement

Project manager		Project technical lead	
R. Hulme		P. Landmark	
PREPARED BY			
F. MacLeod			21/11/ 22
CHECKED BY			
P. Landmark			23/11/ 22
REVIEWED BY			
J. Ginter			25/11/22
APPROVED FOR ISSUE BY			
R. Hulme			27/02/23

118 Fitzherbert Avenue, Palmerston North 4410
PO Box 13-052, Armagh, Christchurch 8141
TEL +64 6 357 4034
STATUS FINAL | Project No 310103837

Contents

Revision Schedule	ii
Quality Statement	iii
Abbreviations	1
Executive Summary	1
1 Introduction	3
2 Groundwater and Surface Water Monitoring	4
2.1 Sample Analyses	4
2.2 Background Groundwater Quality	5
2.3 Groundwater Quality Hydraulically Down-Gradient of the New Landfill	6
2.3.1 Shallow Aquifer	6
2.3.2 Deep Gravel Aquifer	9
2.4 Impact of Old Landfill on Groundwater Quality	11
2.5 Groundwater Quality Down-Gradient of the Irrigation Area	13
2.6 Leachate Effluent Results	13
2.7 Tatana Property Drain	15
2.8 Hokio Stream	16
3 Landfill Gas Detection in Monitoring Wells	20
4 Discussion	21
4.1 Sampling Quality Control and Assurance	21
4.2 Background Groundwater Quality	21
4.3 Shallow Aquifer Groundwater Quality	21
4.3.1 Hydraulically down-gradient of the Old Landfill	21
4.3.2 Hydraulically up-gradient of the Old Landfill and down-gradient of the New Landfill	21
4.3.3 Irrigation Area	22
4.4 Deep Aquifer Groundwater Quality	22
4.5 Leachate Effluent	22
4.6 Tatana Property Drain	22
4.7 Hokio Stream	23
4.8 Consent Compliance	23
5 Conclusions	25

List of appendices

- Appendix A Site Plan
- Appendix B Sampling Schedule
- Appendix C Analytical Results
- Appendix D Historical Results Graphs
- Appendix E Landfill Gas Monitoring Results at GW Bores for April 2022



List of tables

Table 2-1: Test Parameters	4
Table 2-2: Background Monitoring Results for October 2022.....	5
Table 2-3: D-Series and E1S Monitoring Bore Results for October 2022.....	7
Table 2-4: Results for Monitoring Bores within the Deep Aquifer for October 2022.....	10
Table 2-5: Monitoring Results for Shallow Boreholes Down-Gradient from the Old Landfill for October 2022.....	12
Table 2-6: Results from Monitoring Bores in the Irrigation Area for October 2022.....	13
Table 2-7: Results from Leachate Effluent Monitoring for October 2022	14
Table 2-8 Tatana Drain Monitoring Results for August, September, and October 2022	15
Table 2-9: Hokio Stream Monitoring Results for August, September, and October 2022	17

Abbreviations

Abbreviation	Name
ANZECC LDW	ANZECC 2000 Livestock Drinking Water
BDL	Below the detection limit
cfu	Colony-forming unit
COD	Chemical Oxygen Demand
DWSNZ GVs	Drinking Water Standards for New Zealand - Guideline Values for aesthetic determinants
DWSNZ MAVs	Drinking Water Standards for New Zealand – Maximum Acceptable Values
EC	Electrical Conductivity
HDC	Horowhenua District Council
Hg	Soluble mercury
HRC	Horizons Regional Council
mbgl	Metres below ground level
NH₃-N	Ammoniacal-nitrogen
NO₃-N	Nitrate nitrogen
ppm	Parts per million
scBOD₅	Soluble carbonaceous Biochemical Oxygen Demand (5-day)



Executive Summary

Horowhenua District Council (HDC) is required to carry out quarterly compliance monitoring of groundwater and monthly sampling at selected surface water monitoring locations at the Levin Landfill, as part of the conditions of Resource Consents DP6009, DP6010, DP6011 and DP102259. This report summarises the findings for the monitoring events from the second quarter (i.e., August 2022 to October 2022) sampling round and includes results for:

- Background (natural) groundwater (Bores G1S and G1D)
- Landfill leachate (manhole next to leachate pond)
- Groundwater bores, down-gradient of the new landfill (Bores D1, D2, D3rs, D4, D5, D6 and E1S)
- Groundwater bores within the old irrigation area (Bores F1, F2 and F3)
- Shallow aquifers, down-gradient of the old landfill (Bores B1, B2, B3s, C2, C2DS, E2S, G2s, Xs1 and Xs2)
- The deep aquifer (Bores C2DD, D3rd, E1D, E2D and Xd1)
- The Tatana Drain (TD1), and
- The Hokio Stream (HS1A, HS1, HS2 and HS3).

Stantec has reviewed the results of this second quarter monitoring round on behalf of HDC.

Monitoring results for other aspects of the landfill operations such as for air quality/odour and stormwater quality are reported annually, as per resource consent requirements.

Samples were collected from 26¹ groundwater bores from around Levin Landfill during October 2022, and landfill leachate was sampled at a manhole next to the leachate pond. Additionally, five surface water sites were each sampled during August 2022, September 2022, and October 2022. All samples were analysed for the parameters set out in Discharge Permit 6010, and as listed in the results tables presented in this report.

For samples during the October 2022 quarter, time between sampling and reception at the laboratory ranged between 24 – 45 hours, which is outside the normally accepted timeframe of <24 hours. Meeting the monitoring timeframe is important because it provides greater confidence in the reliability of results, and comparisons with historical data.

The resource consent for the landfill (namely, discharge permit 6010) establishes compliance limits for the quality of deeper and shallow groundwater which are based upon the Drinking Water Standards for New Zealand – Maximum Acceptable Values (DWSNZ MAVs), Guideline Values for aesthetic determinants (DWSNZ GVs), and the ANZECC 2000 Livestock Drinking Water (ANZECC LDW) trigger values, respectively. Compliance limits for surface water are based on the ANZECC 2000² default guideline values (DGV) for 95th percentile species protection for toxicants in freshwater, as required by the revised Resource Consent condition approved in December 2019.

The August 2022 to October 2022 monitoring results have been assessed against these limits, where they are applicable.

Forty-one non-compliances with resource consent conditions were recorded across twelve monitoring locations, as follows:

- Bore C1 was not sampled, which is a consent non-compliance.
- *E. coli* counts in bores D6 (with >240 CFU/100ml) and B2 (with 130 CFU/100ml) exceeded the ANZECC LDW trigger value of 100 CFU/100ml. Both bores have occasionally exceeded this value in the past.
- Hardness exceeded the DWSNZ MAV of 200 mg CaCO₃/L at bore D3rd (with 204 mg/CaCO₃/L).
- Dissolved manganese concentrations exceeded the DWSNZ MAV of 0.4 mg/L in bores C2DD, Xd1, and D3rd (with 0.59 mg/L, 0.5 mg/L and 0.44 mg/L, respectively).
- Nitrate-nitrogen (NO₃-N) exceeded the ANZECC (95thile) DGV of 0.16 mg/L at Tatana Drain (TD1) in August 2022 (1.74 mg/L), September 2022 (0.35 mg/L), and October 2022 (3.77 mg/L).
- For ammoniacal-nitrogen concentrations (NH₄-N) at Tatana Drain (TD1) in September 2022 (2.24 mg/L) and October 2022 (10.8 mg/L), which exceeded the ANZECC (95thile) DGV of 2.1 mg/L.
- For scBOD₅ during September 2022 (3 mg/L), which exceeded the ANZECC (95thile species protection) DGV of 2 mg/L. This was due to the method of halving results that were below the laboratory detection limit to assess them

¹ The consents require monitoring at 27 groundwater bores on a quarterly basis but bore C1 was not sampled during this monitoring round. This was due to significant surface flooding at the borehole location.

² Now superseded by the Australian and New Zealand Water Quality Guidelines 2018 (ANZG 2018), however the ANZECC 2000 guideline values are applied in accordance with the resource consent.



against relevant guidelines and consent limits. However, as this halved value was greater than the ANZECC DGV, it has been considered a non-compliance.

- For nitrate-nitrogen (NO₃-N) during August 2022, September 2022, and October 2022 rounds at all Hokio Stream sampling locations, which exceeded the ANZECC (95%ile) DGV of 0.16 mg/L.
- For dissolved aluminium concentrations during the August 2022 sampling round at HS2 (0.058 mg/L) and October 2022 sampling rounds at HS1 (0.078 mg/L) and HS3 (0.066 mg/L), which exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L.
- For dissolved copper concentrations during the August 2022, September 2022, and October 2022 at all Hokio Stream sampling locations (except HS1A and HS2 October 2022), which exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L.
- For scBOD₅ during September 2022 (3 mg/L) at all Hokio Stream sampling locations, which exceeded the ANZECC (95%ile) DGV of 2 mg/L.

The August 2022 to October 2022 results were also considered in the context of background water quality, both within the groundwater aquifers (shallow and deep bores) and the surface water receiving environment. For example, low pH at background bore G1S, and elevated iron concentrations in the same bore indicate that groundwater could be being impacted by up-gradient activities unrelated to the landfill operations. This trend will be examined in greater detail in the Annual Report.

There were two occasions where the leachate effluent quality (at the leachate pond manhole sampling location) was outside of the ranges for typical leachate composition, as recorded generally at Class 1 landfills in New Zealand. This occurred for Ammoniacal-N (NH₄-N) which exceeded the typical range for Class 1 landfills, and for dissolved mercury which was not detected and so was under the typical range. Note that leachate effluent is not subject to any consent limits.

Bore C1 was not sampled during October 2022. This is a non-compliance with respect to the resource consent conditions.

The level of detection used in the laboratory for testing scBOD₅ was mostly set at 3 mg/L, however, on some occasions it was changed to 6 mg/L. This is impractical, as recent practice has been to halve any results which have fallen below the level of detection (as described in Section 2.1 of this report), and with a level set at 6 mg/L, the halved result of 3 mg/L is greater than the ANZECC (95%ile) of 2 mg/L. Consistency in laboratory methods is also essential to analysing longer term trends and compliance at each of the monitoring locations.

Methane gas was detected in thirteen groundwater monitoring bores in the October 2022 sampling round. Methane concentrations were moderately greater than they were during the previous monitoring round. However, the highest concentration of methane during October 2022 was 0.56%, in bore D4, with bores D3rs and D5 yielding 0.45%. These are well below the explosive limit of 5% and represent a 'safe' level.

Additionally, a moderate level of carbon dioxide (1.48%) was measured at bore B2. Previously, B2 has showed carbon dioxide levels of 3.6% (July 2022) and 5.2% (April 2022), so there appears to be a decreasing trend, which could be investigated further.

Hydrogen sulphide was detected at bore E1d at a concentration of 1ppm.

The possibility of encountering methane (and possible hydrogen sulphide) in groundwater bores endorses the need for appropriate health and safety measures to be adopted during monitoring, as is the case for the landfill gas extraction wells. No smoking should be permitted when personnel undertake groundwater sampling and when in the vicinity of the groundwater monitoring wells, or in fact anywhere else on the Levin Landfill site. For sake of safety a personal gas detector should be worn by all staff when working at the landfill site.



1 Introduction

Horowhenua District Council (HDC) first commissioned Stantec New Zealand (then Montgomery Watson) to carry out environmental reporting for the discharge consent monitoring undertaken at the Levin Landfill site in the early 2000s. Monitoring has been undertaken by contractors every three months at 32 locations, as required by the resource consent conditions (namely for discharge permit 6010). These sampling locations consist of 27 boreholes penetrating the sand and gravel aquifers; four surface water sampling locations within Hokio Stream; one surface sampling location along the Tatana Drain, and one leachate sampling point, as shown in the Site Plan in Appendix A.

The Levin Landfill site is comprised of two landfills: one old, closed, and unlined landfill and one new, lined landfill that has been closed pending a decision by HDC to continue operating it. The new landfill footprint has been developed in stages. The most recent stage was Stage 3C which was developed in 2017, though landfill operations have, until the end of October 2021, occurred over the top of Stages 1A, 2 and 3C. The current landfill within this new footprint has reached capacity and has been capped with a permanent clay capping (0.7m thick) on all sides except for under the access road and on the front face of the landfill where there is a temporary capping (0.3m thick). Council has deferred a decision on the future of the landfill and has committed to make that decision before the end of 2025.

The Levin Landfill site is located above two identified aquifers, a shallow sand aquifer and a deeper gravel aquifer. The shallow aquifer is unconfined, has a low to moderate permeability, and flows in a northerly direction. The deeper gravel aquifer is a confined to semi-confined aquifer. Horizons Regional Council hydrology staff advises that *'the general confined groundwater flow direction is towards the west'*. Groundwater quality in the area is highly variable because of interaction with peat deposits that are prevalent in the area, localised effects such as from grazing activities, droppings from scavenging birds and from nitrogen-fixing plants such as gorse.

Since July 2010 groundwater has been tested for dissolved metals and nutrients, rather than for total concentrations of these parameters.

A review of the resource consent conditions was finalised in December 2019. Changes have been made to some of the surface water and groundwater monitoring conditions and HDC has acted on all the changes. Sampling since the January 2021 sampling round has been in line with previous monitoring, but different reference parameters have been applied to assess the surface water sampling results, as required by the new consent conditions.

This report presents the results for the October 2022 quarterly monitoring round.

Laboratory detection limits are provided for all test results which are attached in Appendix C.



2 Groundwater and Surface Water Monitoring

2.1 Sample Analyses

Surface water samples were collected by Downer (a contractor to HDC) on 16 August, 21 September, and 12 October 2022, with the samples being received by the Eurofins ELS Ltd laboratory in Lower Hutt, Wellington. The timeframe between sample collection and laboratory reception varied between 29 and 46 hours which is outside the normally accepted range of within 24 hours.

Groundwater samples were collected by Downer (a contractor to HDC) on 5, 6, 10, and 12 October, with the samples being received by the Eurofins ELS Ltd laboratory in Lower Hutt, Wellington. Whilst samples were collected within the normally accepted monitoring timeframe of within seven days, the time between collection and laboratory reception varied between 26 and 34 hours which is outside the normally accepted range of within 24 hours.

All borehole water levels were measured on 4 October 2022.

The monitoring schedule for July 2021 - April 2024 is summarised in Appendix B. From July 2019, *E. coli* counts analyses have been included within the indicator and comprehensive analytical suites, as agreed by HDC with the Horizons Regional Council (HRC). This means that *E. coli* counts will be assessed more frequently throughout each year, as compared to the past monitoring regime.

Groundwater samples taken at each of the boreholes (except for C1) and a sample of the leachate effluent were analysed for the indicator list of parameters which is outlined in Table 2-1. Surface water samples from Hokio Stream were analysed for the comprehensive list of parameters (see Table 2-1).

Note that, following the revision of the resource consent conditions which were approved in December 2019, 5-day soluble carbonaceous Biochemical Oxygen Demand (scBOD₅) and soluble mercury (Hg) have each been added to the indicator and comprehensive suites of parameters, and *E. coli* added to the comprehensive suite of parameters. The scBOD₅ and *E. coli* parameters replace BOD₅ and faecal coliforms, respectively. Monitoring of these additional began with the April 2020 sampling round.

Table 2-1: Test Parameters

Type	Indicator Parameters	Comprehensive Parameters
Physico-chemical characteristics	pH, Electrical Conductivity (EC)	pH, Electrical Conductivity (EC), Alkalinity, Total Hardness, Suspended Solids
Oxygen demand	Chemical Oxygen Demand (COD), scBOD ₅ **	Chemical Oxygen Demand (COD), soluble carbonaceous Biochemical Oxygen Demand (scBOD ₅ **)
Nutrients*	Nitrate nitrogen (NO ₃ -N), Ammoniacal-nitrogen (NH ₄ -N)	Nitrate nitrogen (NO ₃ -N), Ammoniacal-nitrogen (NH ₄ -N), Dissolved Reactive Phosphorus (DRP), Sulphate (SO ₄)
Metals*	Aluminium (Al), Manganese (Mn), Nickel (Ni), Lead (Pb), Mercury (Hg)**	Aluminium (Al), Arsenic (As), Cadmium (Cd), Chromium (Cr), Copper (Cu), Iron (Fe)***, Magnesium (Mg), Manganese (Mn), Nickel (Ni), Lead (Pb), Zinc (Zn), Mercury (Hg)**
Other elements	Boron (B), Chloride (Cl)	Boron (B), Calcium (Ca), Chloride (Cl), Potassium (K), Sodium (Na)***
Biological+	<i>E. coli</i>	<i>E. coli</i>
Organics	Not required	Total organic carbon, total phenols, volatile acids

Note:

*Analyses performed for nutrients and metals are for dissolved rather than total concentrations.

** scBOD₅ and Soluble Mercury added as per revised consent conditions for Discharge Permit 6010, December 2019

*** Iron and sodium are tested at certain groundwater bores only.



Those chemical constituents for which concentrations were below laboratory detection limits during the reporting period have had results set at 50% of the laboratory detection limit, which is then used to calculate a median value for annual reporting purposes. This is standard practice when dealing with chemical concentrations in water, where the constituent is not detected. For *E. coli*, results below the detection limit have been described as 'not detected' (ND).

2.2 Background Groundwater Quality

The background (natural) quality of the groundwater water up-gradient from the landfill site is not subject to any consent conditions. However, for comparison purposes, both the ANZECC LDW trigger values and the DWSNZ guidelines are regularly used to benchmark the quality of water up-gradient from the landfill site.

Groundwater samples were collected from the two background bores situated hydraulically up-gradient from both the new and old landfills to the southeast of the site in October 2022 (bores G1S and G1D, see Site Plan, Appendix A). These two bores were constructed in late 2009 to sample background water quality from the two main hydrogeological units.

The results are presented in Table 2-2.

Bore F3 is also included in the background table as it is near the southern boundary of the landfill site (and further west) and is unlikely to be impacted by landfill activities. A full laboratory report containing analytical results is presented in Appendix C and the historical graphs are presented in Appendix D.

Table 2-2: Background Monitoring Results for October 2022

Determinant	Units	DWSNZ MAV	ANZECC LDW	G1S	G1D	F3
Sampling date				05/10/2022	05/10/2022	05/10/2022
Water level	mbgl	-	-	13.76	14.35	5.15
pH	pH units	7 to 8.5*	6 to 9	6.6	7.1	7.2
Conductivity	mS/m	-	-	56.3	27.6	19.4
COD	mg/L	-	-	72	15	7.5
scBOD ₅	mg/L	-	-	0.5	0.5	0.5
<i>E. Coli</i>	CFU/100ml	NIL	100	ND	ND	ND
Chloride	mg/L	250*	-	100	30.9	16.9
Nitrate-N	mg/L	11.3	90.3	0.11	0.005	0.64
Ammoniacal-N	mg/L	1.17	-	0.04	0.09	0.005
Sodium	mg/L	200*	-	87.0	n/r	24.4
Dissolved Aluminium	mg/L	0.1*	5	0.11	0.001	0.003
Dissolved Boron	mg/L	1.4	5	0.015	0.015	0.015
Dissolved Iron	mg/L	0.2*	-	2.96	n/r	0.01
Dissolved Lead	mg/L	0.01	0.1	0.0013	0.0006	0.00025
Dissolved Manganese	mg/L	0.4	-	0.069	0.061	0.00025
Dissolved Mercury	mg/L	0.007	0.002	0.00025	0.00025	0.00025
Dissolved Nickel	mg/L	0.08	1	0.0017	0.00025	0.00025

Notes:

*denotes guideline values for aesthetic determinants (G.V.)

All '<' values have been reported as half the detection limit for statistical purposes and are *expressed in italics*

'ND' indicates where *E. coli* were not detected at or above the laboratory detection limit

n/r – not required to be tested during this monitoring period

Values which exceeded the DWSNZ MAV are shown in **bold**

The results in Table 2-2 show that all parameters at bores G1D and F3 were within the ANZECC LDW trigger values and DWSNZ limits during the October 2022 monitoring round.



At G1S, the dissolved aluminium (0.11 mg/L) concentration exceeded the DWSNZ limit of 0.1 mg/L, and the dissolved iron (2.96 mg/L) concentration exceeded the DWSNZ limit of 0.2 mg/L – akin to last quarter. Additionally, the pH at G1S (6.6) was below the lower DWSNZ limit of 7.0.

2.3 Groundwater Quality Hydraulically Down-Gradient of the New Landfill

Monitoring is carried out within the two main hydrogeological units for bores hydraulically up-gradient of the old landfill and hydraulically down-gradient of the new landfill.

2.3.1 Shallow Aquifer

Bores D1, D2, D3(rs), D4, D5, D6, and E1S (Refer to Site Plan, Appendix A) are located hydraulically up-gradient of the old landfill, but down-gradient of the new landfill. This means they are not influenced by potential leaching from the old landfill and can act as a warning system for any leaching from the new landfill.

Borehole D4 is likely to show evidence of any leaching from the new landfill if such leaching was to occur.

Borehole D5 is located at the south-western corner of the site and is expected to provide an indication of shallow background groundwater quality because it is unlikely to be influenced by either landfill.

It is considered unlikely that leachate from the new landfill would significantly affect groundwater quality due to the leachate collection system which is in place at the new landfill; however, these bores would still provide early warning of any potential problems. It is noted that bore D3r was replaced in June 2021 with two bores; D3rs, which is a shallow bore and D3rd, which is a deep bore. Both were sampled from October 2021 onwards. This is discussed in section 2.3.2. It is noted also that new bores D3rs and D3rd were required to be monitored for the comprehensive suite of parameters for the first two years following installation.

The results from the October 2022 monitoring round for these bores are presented in Table 2-3 and the results have been compared with the ANZECC LDW trigger values as per the consent conditions.

The full laboratory report is included in Appendix C and the historical graphs are presented in Appendix D.

All sampling results for *E. coli*, aside from bores D2 and D6, were reported as being below the level of detection (<4 CFU/100ml). However, whilst D2 presented a compliant value of 16 CFU/100ml, the *E. coli* count for D6 was above the ANZECC LDW at >240 CFU/100ml³, thus deems this bore non-compliant.

Therefore there was **one exceedance of the resource consent conditions during the October 2022** monitoring round in samples from the shallow aquifer – *E.coli* for D6.

³ Note that the laboratory result was given as “>240 CFU/100ml”, rather than equal to that figure, so it has been recorded as such in this report.

Table 2-3: D-Series and E1S Monitoring Bore Results for October 2022

Determinant	Units	ANZECC LDW	D1	D2	D3rs	D4	D5	D6	E1S
Sampling date			06/10/2022	06/10/2022	06/10/2022	10/10/2022	05/10/2022	06/10/2022	10/10/2022
Water Level	mbgl	-	16.6	21.07	5.6	7.96	9.48	15.98	11.23
pH	pH units	6 to 9	6.9	6.4	6.8	6.9	7.1	7.0	6.9
Suspended Solids	mg/l	-	-	-	67	-	-	-	-
Phenol	mg/l	-	-	-	0.025	-	-	-	-
VFA	mg/l	-	-	-	2.5	-	-	-	-
TOC	mg/L	-	-	-	21.5	-	-	-	-
Alkalinity	mg CaCO ₃ /L	-	-	-	58	-	-	-	-
Conductivity	mS/m	-	32.5	46.7	17.3	29.2	32.3	21.5	26.8
COD	mg/L	-	7.5	31	46	7.5	15	7.5	7.5
scBOD ₅	mg/L	-	1.5	1.5	1.5	3	0.5	1.5	3
<i>E. coli</i>	CFU/100ml	100	ND	16	ND	ND	ND	>240	ND
Chloride	mg/L	-	14.8	48.6	14.1	33.9	31	8.81	26.9
Nitrate-N	mg/L	90.3	5.86	0.005	0.005	0.005	0.4	6.31	0.005
Sulphate	mg/L	1000	-	-	1.63	-	-	-	-
Ammoniacal-N	mg/L	-	0.005	0.65	0.62	0.23	0.02	0.005	0.19
Hardness	mg CaCO ₃ /L	-	-	-	42	-	-	-	-
Calcium	mg/L	1000	-	-	10.1	-	-	-	-
Magnesium	mg/L	-	-	-	4.16	-	-	-	-
Potassium	mg/L	-	-	-	3.63	-	-	-	-
Sodium	mg/L	-	n/r	40.6	19.8	33.4	n/r	n/r	26.8
D.R. Phosphorus	mg/L	-	-	-	0.077	-	-	-	-
Dissolved Aluminium	mg/L	5	0.003	0.002	0.072	0.004	0.002	0.002	0.006
Dissolved Arsenic	mg/L	0.5	-	-	0.001	-	-	-	-
Dissolved Boron	mg/L	5	0.03	0.04	0.03	0.04	0.03	0.04	0.015
Dissolved Cadmium	mg/L	0.01	-	-	0.0001	-	-	-	-
Dissolved Chromium (VI)	mg/L	1	-	-	0.003	-	-	-	-
Dissolved Copper	mg/L	0.4	-	-	0.0010	-	-	-	-
Dissolved Iron	mg/L	-	n/r	5.32	13.3	4.27	n/r	n/r	5.67



Determinant	Units	ANZECC LDW	D1	D2	D3rs	D4	D5	D6	E1S
Dissolved Lead	mg/L	0.1	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>
Dissolved Manganese	mg/L	-	0.0015	0.41	0.31	0.21	0.15	0.0036	0.28
Dissolved Mercury	mg/L	0.002	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>
Dissolved Nickel	mg/L	1	<i>0.00025</i>	<i>0.00025</i>	0.0010	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>
Dissolved Zinc	mg/L	20	-	-	0.003	-	-	-	-

Notes:

Bore D3rs was tested for comprehensive suite, all others for the indicator suite, as required by resource consent conditions.

Bold – denotes an exceedance of the ANZECC LDW

Underlined – denotes exceedance of the Consent Trigger Value.

'ND' indicates where *E. coli* were not detected at or above the laboratory detection limit

All '<' values have been reported as half the detection limit for statistical purposes and are expressed in italics

n/r – not required to be tested during this monitoring period



2.3.2 Deep Gravel Aquifer

Bores E1D, C2DD, E2D, Xd1, and the new replacement bore D3rd all penetrate the deeper gravel aquifer. Deep groundwater flow is assumed to be towards the northwest.

Boreholes E2D and C2DD are located to the north-northwest of both the landfills and are therefore considered to be hydraulically down-gradient of both landfills.

Borehole E1D is located to the southwest of the old landfill and it is therefore considered that this bore would be unlikely to be affected by either landfill.

Bore Xd1 was installed in late 2020 as a requirement of the reviewed resource consent conditions (December 2019). It is located on the western boundary of the site and slightly downstream of the old landfill.

Results for the October 2022 compliance monitoring round are presented in Table 2-4. The results have been compared with the DWSNZ as per the requirements of discharge consent 6010. The full laboratory report is included in Appendix C and the historical graphs are presented in Appendix D.

There were **four exceedances of the DWSNZ limits** in samples from the deep gravel aquifer during the October 2022 monitoring round, as follows:

- Hardness at bore D3rd was recorded as 204 mg CaCO₃/L, above the DWSNZ MAV of 200 mg CaCO₃/L. Hardness was only tested at D3rd due to consent requirements of a comprehensive suite.
- The dissolved manganese concentrations in bores C2DD, Xd1, and D3rd exceeded the DWSNZ MAV of 0.4 mg/L. The results for C2DD (from 1997) and Xd1 (from March 2021 when sampling started) are within the historical range of concentrations observed. Bore D3rd is relatively new but there is a trend which has been evident from the start of sampling this bore in October 2021, which indicates that manganese is generally elevated in this new bore, as it is for the other deep aquifer bores.

Table 2-4: Results for Monitoring Bores within the Deep Aquifer for October 2022

Determinant	Units	DWSNZ MAV	E1D	C2DD	E2D	Xd1	D3rd
Sampling date			06/10/2022	06/10/2022	06/10/2022	10/10/2022	06/10/2022
Water Level	mbgl	-	11.1	2.63	5.56	2.52	5.96
pH	pH units	7 to 8.5*	7.6	7.5	7.6	7.4	7.7
Suspended Solids	mg/l	-	-	-	-	-	28
Phenol	mg/l	-	-	-	-	-	0.025
VFA	mg/l	-	-	-	-	-	2.5
TOC	mg/L	-	-	-	-	-	5.7
Alkalinity	mg CaCO ₃ /L	-	-	-	-	-	211
Conductivity	mS/m	-	44.8	57.3	33.9	53.3	52.3
COD	mg/L	-	7.5	7.5	7.5	7.5	7.5
scBOD ₅	mg/L	-	1.5	1.5	1.5	3	1.5
<i>E. coli</i>	CFU/100ml	NIL	ND	ND	ND	ND	ND
Chloride	mg/L	250*	39.1	41.8	40.4	57.2	31.6
Nitrate-N	mg/L	11.3	0.005	0.01	0.005	0.005	0.005
Sulphate	mg/L	250*	-	-	-	-	0.01
Ammoniacal-N	mg/L	1.17	0.20	0.33	0.32	0.36	0.42
Hardness	mg CaCO ₃ /L	200*	-	-	-	-	204
Calcium	mg/L	-	-	-	-	-	59.8
Magnesium	mg/L	-	-	-	-	-	13.3
Potassium	mg/L	-	-	-	-	-	6.57
Sodium	mg/L	200*	36.0	n/r	n/r	n/r	23.0
D.R. Phosphorus	mg/L	-	-	-	-	-	1.23
Dissolved Aluminium	mg/L	0.1*	0.001	0.005	0.001	0.001	0.001
Dissolved Arsenic	mg/L	0.01	-	-	-	-	0.020
Dissolved Boron	mg/L	1.4	0.04	0.05	0.015	0.04	0.03
Dissolved Cadmium	mg/L	0.004	-	-	-	-	0.0001
Dissolved Chromium (VI)	mg/L	0.05	-	-	-	-	0.0005
Dissolved Copper	mg/L	2	-	-	-	-	0.00025
Dissolved Iron	mg/L	0.2*	0.05	n/r	n/r	n/r	0.033
Dissolved Lead	mg/L	0.01	0.00025	0.00025	0.00025	0.00025	0.00025
Dissolved Manganese	mg/L	0.4	0.22	0.59	0.23	0.5	0.44
Dissolved Mercury	mg/L	-	0.00025	0.00025	0.00025	0.00025	0.00025
Dissolved Nickel	mg/L	0.08	0.00025	0.00025	0.00025	0.00025	0.00025
Dissolved Zinc	mg/L	1.5*	-	-	-	-	0.001

Notes:

Bore D3rd was tested for comprehensive suite, all others for the indicator suite, as required by resource consent conditions.

Bold – denotes an exceedance of the DWSNZ MAV

Underlined – denotes exceedance of the Consent Trigger Value.

'ND' indicates where *E. coli* were not detected at or above the laboratory detection limit

All '<' values have been reported as half the detection limit for statistical purposes and are expressed in italics

n/r – not required to be tested during this monitoring period



2.4 Impact of Old Landfill on Groundwater Quality

Water sampling is carried out to characterise the groundwater quality in a series of shallow bores situated hydraulically down-gradient from the old unlined landfill.

The Series B boreholes are located within 50m of the old landfill in a line along its northern edge.

The Series C boreholes are located further down the hydraulic gradient from the old landfill towards Hokio Beach Road to detect whether leachate is moving off site.

Borehole C1 was not sampled during the October sampling round because it was reported to be fully submerged by the pond water when sampling was scheduled. It is not known if this situation continued for the entire sampling period. This represents a non-compliance.

Borehole E2S is located northwest of the old landfill to detect any leachate moving directly towards the nearest house down-stream of the site.

Bore G2S was installed in late 2009 and is located to the north of the landfill site, hydraulically down-gradient of the old landfill by Hokio Road and the entrance road to the landfill.

Bores Xs1 and Xs2 are located along Hokio Beach Road, within the road reserve. Bore Xs1 is adjacent to Tatana's property and bore Xs2 is next to the driveway leading to a Council-owned property. Bore Xs2 is hydraulically upgradient of the old landfill (See Site Plan, Appendix A).

The results from the October 2022 consent monitoring round for these bores are presented in Table 2-5 and have been compared with the ANZECC LDW trigger values as per the requirements of discharge consent 6010. The full laboratory report is included in Appendix C and the historical graphs are presented in Appendix D.

There was **one exceedance of the ANZECC LDW trigger values** during the October 2022 monitoring round, as follows:

- The *E. coli* count exceeded the ANZECC LDW trigger value of 100 CFU/100ml at bore B2 (130 CFU/100ml), thus bore B2 was non-compliant. This bore has exceeded the LDW trigger value on two other occasions in the last two years – 160 CFU/100ml in January 2022 and 1700 CFU/100ml in October 2021.

Table 2-5: Monitoring Results for Shallow Boreholes Down-Gradient from the Old Landfill for October 2022

Determinant	Units	ANZECC LDW	E2S	B1	B2	B3s	C1	C2	C2DS	G2S	Xs1	Xs2
Sampling date			10/10/22	10/10/22	10/10/22	10/10/22	Not Sampled	10/10/22	10/10/22	05/10/22	10/10/22	10/10/22
Water level	mbgl	-	4.55	0.79	1.07	0.1	n/p	0.36	2.61	2.15	0.34	2.06
pH	pH units	6 to 9	7.3	6.9	6.7	7.0	n/p	7.0	6.7	7.1	6.5	6.7
Conductivity	mS/m	-	44.5	203	137	229	n/p	258	124	185	88.8	16.8
COD	mg/L	-	7.5	43	45	40	n/p	55	55	16	67	7.5
scBOD5	mg/L	-	3	3	3	21	n/p	3	3	0.5	3	3
<i>E-Coli</i>	CFU/100ml	100	ND	ND	130	ND	n/p	ND	ND	ND	ND	ND
Chloride	mg/L	-	41	330	76	132	n/p	152	78.1	517	56	14.9
Nitrate-N	mg/L	90.3	0.005	40.1	20.9	0.35	n/p	0.05	0.05	0.005	0.005	1.34
Ammoniacal-N	mg/L	-	0.24	5.43	34.4	104	n/p	162	1.18	0.005	11.3	0.005
Sodium	mg/L	-	44	n/r	n/r	n/r	n/p	n/r	n/r	n/r	n/r	n/r
Dissolved Aluminium	mg/L	5	0.002	0.0009	0.027	0.005	n/p	0.022	0.001	0.006	0.01	0.007
Dissolved Boron	mg/L	5	0.05	1.16	1.25	1.11	n/p	1.55	0.55	0.64	0.14	0.015
Dissolved Iron	mg/L	-	0.09	n/r	n/r	n/r	n/p	n/r	n/r	n/r	n/r	n/r
Dissolved Lead	mg/L	0.1	0.002	0.00025	0.00025	0.00025	n/p	0.00025	0.00025	0.00025	0.00025	0.00025
Dissolved Manganese	mg/L	-	0.42	5.36	1.68	1.73	n/p	0.24	1.38	0.14	1.26	0.031
Dissolved Mercury	mg/L	0.002	0.00025	0.00025	0.00025	0.00025	n/p	0.00025	0.00025	0.00025	0.00025	0.00025
Dissolved Nickel	mg/L	1	0.0006	0.0026	0.0019	0.011	n/p	0.0052	0.0018	0.0023	0.001	0.00025

Notes:

All '<' values represent a non-detection and have been reported as half the detection limit for statistical purposes and are expressed in italics

'ND' indicates where *E. coli* were not detected at or above the laboratory detection limit

n/r – not required to be tested during this monitoring period

n/p – result not provided at the time of preparing this report

Bold - denotes exceedance of ANZECC LDW



2.5 Groundwater Quality Down-Gradient of the Irrigation Area

The F-series boreholes intersect the shallow aquifer down-gradient of the area that was used to irrigate leachate from 2004 to October 2008. All leachate is now pumped to the Levin Wastewater Treatment Plant. The F1 borehole is located within the area where leachate from the new landfill was irrigated. The F2 and F3 boreholes are in an area that was set aside for leachate irrigation but was never used for that purpose. It is expected that bores F2 and F3 would therefore be representative of background groundwater quality.

The results from the F series boreholes are presented in Table 2-6 and have been compared with the ANZECC LDW trigger values, as per discharge consent 6010. The full laboratory report is included in Appendix C and the historical graphs are presented in Appendix D.

There were **no exceedances of the resource consent conditions** in samples from these bores during the October 2022 monitoring round.

Table 2-6: Results from Monitoring Bores in the Irrigation Area for October 2022

Determinant	Units	ANZECC LDW	F1	F2	F3
Sampling Date			05/10/22	05/10/22	05/10/22
Water Level	mbgl	-	7.76	2.68	5.15
pH	pH units	6 to 9	6.9	7.1	7.2
Conductivity	mS/m	-	43.2	22.4	19.4
COD	mg/L	-	7.5	27	7.5
scBOD5	mg/L	-	0.5	0.5	0.5
<i>E-Coli</i>	CFU/100ml	100	ND	ND	ND
Chloride	mg/L	-	42.1	23.1	16.9
Nitrate-N	mg/L	90.3	0.48	0.35	0.64
Ammoniacal-N	mg/L	-	0.005	0.005	0.005
Sodium	mg/L	-	n/r	n/r	24.4
Dissolved Aluminium	mg/L	5	0.002	0.002	0.003
Dissolved Boron	mg/L	5	0.015	0.04	0.015
Dissolved Iron	mg/L	-	n/r	n/r	0.01
Dissolved Lead	mg/L	0.1	0.00025	0.00025	0.00025
Dissolved Manganese	mg/L	-	0.0045	0.0061	0.00025
Dissolved Mercury	mg/L	0.002	0.00025	0.00025	0.00025
Dissolved Nickel	mg/L	1	0.0006	0.00025	0.00025

Notes:

All '<' values have been reported as half the detection limit for statistical purposes and are *expressed in italics*

'ND' indicates where *E. coli* were not detected at or above the laboratory detection limit

n/r – not required to be tested during this monitoring period

2.6 Leachate Effluent Results

Leachate effluent from the landfill is not subject to any water quality consent conditions and is sent to the Levin Wastewater Treatment Plant for treatment. However, for comparison purposes, typical leachate characteristics for landfills, as published by the Waste Management Institute New Zealand (*Technical Guidelines for Disposal to Land*, August 2018, WasteMINZ), have been compared against the leachate quality monitoring results (Table 2-9). The full laboratory report is included in Appendix C and the historical graphs are presented in Appendix D.

Table 2-7 shows that the concentrations of monitored parameters for leachate effluent samples collected in October 2022 were mostly within the typical ranges to be expected for this type of landfill.



Up until April 2022, samples of leachate were tested monthly for the comprehensive suite of parameters, as stated in Table C under condition 3H of discharge permit 6010. This requirement was for 2 years and condition 3P of discharge permit 6010 allows the monitoring frequency to shift to a conditional sampling frequency (i.e., six monthly comprehensive, quarterly indicator) if water sample analysis results are consistent and there is no decline in water quality over a period of at least four consecutive sampling rounds. The quality of leachate is considered to have met these criteria and so the change in monitoring from April 2022 was justified. The resource consent conditions allowed this change to occur immediately after the four consecutive sampling rounds were completed.

There were **two exceedances of the typical leachate characteristics in the October 2022 results**, with elevated ammoniacal-N, and a dissolved mercury that was not detected and therefore less than the minimum typical value.

The results reported here are consistent with those previously reported for leachate monitoring.

Table 2-7: Results from Leachate Effluent Monitoring for October 2022

Determinant	Units	Typical Leachate Characteristics* (range)	October 2022 Result
pH		5.9 - 8.5	7.7
Suspended Solids	mg/l	-	46
Phenol	mg/L	-	0.07
VFA	mg/L	-	25
TOC	mg/L	-	768
Alkalinity	mg CaCO ₃ /L	-	7,670
Conductivity	mS/m	308 – 27,900	1,670
COD	mg/L	84 – 5,090	4,080
scBOD ₅	mg/L	-	116
E-Coli	CFU/100mL	-	ND
Chloride	mg/L	45 – 2,584	1,280
Nitrate-N	mg/L	-	ND
Sulphate	mg/L	-	16.2
Ammonia-N	mg/L	3.4 – 1,440	1,640
Hardness	mg CaCO ₃ /L	-	520
Calcium	mg/L	-	110
Magnesium	mg/L	-	59.4
Potassium	mg/L	-	762
Sodium	mg/L	50 – 4,000**	1,170
D.R. Phosphorus	mg/L	-	15.7
Dissolved Aluminium	mg/L	-	0.907
Dissolved Arsenic	mg/L	-	0.44
Dissolved Boron	mg/L	0.54 – 20.1	7.78
Dissolved Cadmium	mg/L	-	ND
Dissolved Chromium	mg/L	-	1.05
Dissolved Copper	mg/L	-	0.011
Dissolved Iron	mg/L	1.6 – 220	7.40
Dissolved Lead	mg/L	0.001 - 0.42	0.0028
Dissolved Manganese	mg/L	0.3 - 45***	1.40
Dissolved Mercury	mg/L	0.2 – 50	ND
Dissolved Nickel	mg/L	0.02 – 2.05**	0.15
Dissolved Zinc	mg/L	-	0.06

Notes:



* for Class 1-type landfills, Table 5-5, p82, Technical Guidelines for Disposal to Land, WasteMINZ August 2018 (same as Table 4.2 of the CAE Landfill Guidelines 2000, but corrections made to Table 5-5 in line with Table 4.2)

**Data taken from Table 5-4, p81 of the same guideline, for parameters for which no differences in concentrations between the phases of landfill development could be observed

***Data taken from Table 5-4, p81 of the same guideline, for parameters during the methanogenic phase

Bold – denotes a deviation from the typical leachate characteristics range

All '<' values have been reported as half the detection limit for statistical purposes and are expressed in italics

'ND' indicates where *E. coli* and other parameters were not detected at or above the laboratory detection limit

2.7 Tatana Property Drain

A drain is located on the Tatana property (see Site Plan in Appendix A). Since July 2015 HDC has agreed to sample surface water from this drain for a selection of parameters that were set by HRC. Four sampling points were selected to represent the top of the drain (SW1), middle of the drain (SW2 and SW3) and lower drain (SW4) respectively.

The revised consent conditions have since reduced the extent of sampling to a single location. This is known as 'TD1' and is the same sampling location as for the previously denoted 'SW3'.

Results from the August, September, and October 2022 sampling rounds are presented in Table 2-8 and have been compared with the ANZECC⁴ 95%ile DGVs, as per the revised resource consent conditions.

Table 2-8 Tatana Drain Monitoring Results for August, September, and October 2022

Determinant	Units	ANZECC DGV (95%ile species protection)	TD1 (formerly SW3)		
			August	September	October
Sampling date			16/08/2022	20/09/2022	12/10/2022
pH	pH units	-	7.2	7.1	7.7
Suspended Solids	mg/L	-	9	13	92
Phenol	mg/L	-	0.025	0.025	0.025
VFA	mg/L	-	2.5	2.5	2.5
TOC	mg/L	-	23.4	19.0	32.0
Alkalinity	mg CaCO ₃ /L	-	117	117	382
Conductivity	mS/m	-	43.2	40.9	110
COD	mg/L	-	86	67	236
scBOD5	mg/L	2	1.5	3	1.5
<i>E-Coli</i>	CFU/100ml	-	68	> 240	48
Chloride	mg/L	-	51.3	49.5	100
Nitrate-N	mg/L	0.16	1.74	0.35	3.77
Sulphate	mg/L	-	2.86	3.39	1.94
Ammoniacal-N	mg/L	2.1	0.95	2.24	10.8
Hardness	mg CaCO ₃ /L	-	104	102	296
Calcium	mg/L	-	20.7	19.4	61.5
Magnesium	mg/L	-	12.7	12.9	34.6
Potassium	mg/L	-	13.2	8.47	33.9
Sodium	mg/L	-	34.4	44.6	90.1
D.R. Phosphorus	mg/L	-	0.019	0.032	0.022
Dissolved Aluminium	mg/L	0.055	0.024	0.024	0.014

⁴Australian and New Zealand Guidelines for Fresh and Marine Water Quality - Aquatic Ecosystems (AE), Australian and New Zealand Environment and Conservation Council (ANZECC), Canberra, Australia, 2000



Determinant	Units	ANZECC DGV (95%ile species protection)	TD1 (formerly SW3)		
			August	September	October
Dissolved Arsenic	mg/L	0.024	0.0005	0.0005	0.0005
Dissolved Boron	mg/L	-	0.15	0.09	0.53
Dissolved Cadmium	mg/L	0.0002	0.0001	0.0001	0.0001
Dissolved Chromium	mg/L	-	0.0005	0.0005	0.0005
Dissolved Copper	mg/L	0.0014	0.0007	0.00025	0.0013
Dissolved Iron	mg/L	-	1.03	2.41	0.333
Dissolved Lead	mg/L	0.0034	0.00025	0.00025	0.00025
Dissolved Manganese	mg/L	1.9	0.066	0.016	0.51
Dissolved Mercury	mg/L	0.0006	0.00025	0.00025	0.00025
Dissolved Nickel	mg/L	0.011	0.0012	0.0008	0.0030
Dissolved Zinc	mg/L	0.008	0.007	0.003	0.003

Notes:

Bold – denotes an exceedance of the ANZECC DGV for 95%ile species protection

All '<' values have been reported as half the detection limit for statistical purposes and are expressed in italics

There have been **six exceedances of the resource consent conditions** for three monitored parameters in samples from the Tatana Drain property at the TD1 location during the August 2022, September 2022, and October 2022 sampling rounds.

The concentration of Nitrate-N in August (1.74 mg/L), September (0.35 mg/L), and October 2022 (3.77 mg/L) exceeded the ANZECC (95%ile) DGV of 0.16 mg/L. The October 2022 concentration is the highest value recorded since April 2021.

The concentration of Ammoniacal-N in September (2.24 mg/L) and October 2022 (10.8 mg/L) exceeded the ANZECC (95%ile) DGV of 2.1 mg/L. This is the highest value since March 2022 (14.8 mg/L) but is not uncharacteristic of results within the last two years.

Please note that using the method of halving results that are recorded as being below detection limits, the scBOD₅ concentration at TD1 in the September 2022 monitoring round is expressed as 3 mg/L. The laboratory detection limit varied from 3 mg/L in August and October 2022 to 6 mg/L in September 2022. The result for September 2022 suggests a possible exceedance of the ANZECC (95%ile) DGV trigger value of 2 mg/L, however, this is not known for certain. This makes it difficult to determine compliance status, and therefore will be considered an exceedance (taking a conservative approach).

2.8 Hokio Stream

Surface water grab samples are obtained monthly from Hokio Stream at sites HS1A, HS1, HS2 and HS3 (refer to Appendix A) to investigate whether groundwater containing leachate is having an adverse environmental effect on the stream. Sites HS1A and HS1 are situated up-stream of the old landfill, HS2 is situated alongside the old landfill and up-stream of the Tatana Property Drain discharge, and HS3 is located approximately 50m down-stream of the landfill site property boundary and the Tatana Property Drain discharge. Samples from these monitoring locations on Hokio Stream are analysed for a comprehensive suite of parameters every month (as shown in Appendix B).

Results from the August, September and October 2022 monitoring rounds are presented in Table 2-9 and have been compared with the ANZECC AE 95%ile DGVs, as per the revised resource consent conditions (2019).

Monitoring for scBOD₅ and soluble mercury concentrations has now been added as per the revised Resource Consent conditions.

The revised conditions have recently been implemented and monitoring of these additional parameters, including at the new location, commenced during the April 2020 monitoring round.



Table 2-9: Hokio Stream Monitoring Results for August, September, and October 2022

Determinant	Units	ANZECC DGV (95%ile species protection)	Consent Trigger Values (Table C1)	HS1A (from April 2020)	HS1	HS2	HS3	HS1A (from April 2020)	HS1	HS2	HS3	HS1A (from April 2020)	HS1	HS2	HS3
				August				September				October			
Sampling date				16/08/22	16/08/22	16/08/22	16/08/22	20/09/22	20/09/22	20/09/22	20/09/22	12/10/22	12/10/22	12/10/22	12/10/22
pH	pH units	-	-	7.3	7.4	7.3	7.4	7.8	8.8	8.3	8.3	7.8	7.7	7.7	7.6
Suspended Solids	mg/l	-	-	7	6	37	17	37	29	63	57	11	10	14	16
Phenol	mg/l			0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025
VFA	mg/l			2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
TOC	mg/L	-	-	7	7.3	7.7	6.9	9.1	10.3	10.6	11.1	7.7	7.5	7.4	7.6
Alkalinity	mg CaCO ₃ /L	-	-	39	38	39	37	52	48	50	49	60	59	63	63
Conductivity	mS/m	-	-	20.1	20	20.3	20.5	22.8	21.9	22.8	22.4	24.1	24.3	24.8	25.5
COD	mg/L	-	-	47	28	35	38	45	7.5	28	44	55	45	42	56
scBOD ₅	mg/L	2	Monthly Avg. 2	1.5	1.5	1.5	1.5	<u>3</u>	<u>3</u>	<u>3</u>	<u>3</u>	1.5	1.5	1.5	1.5
<i>E. coli</i>	CFU/100 ml	-	-	32	20	4	12	48	32	60	60	80	80	76	80
Chloride	mg/L	-	-	19.2	20.6	19.4	19.2	20.1	19.9	21.2	20.7	21.9	22.5	22.9	24.0
Nitrate-N	mg/L	0.16	0.16	<u>2.57</u>	<u>2.53</u>	<u>2.58</u>	<u>2.52</u>	<u>2.08</u>	<u>2.45</u>	<u>2.45</u>	<u>2.42</u>	<u>1.88</u>	<u>1.89</u>	<u>1.83</u>	<u>1.84</u>
Sulphate	mg/L	-	-	17.3	17.2	17.3	17.0	21.0	22.0	23.2	20.9	21.6	21.8	21.2	21.0
Ammoniacal-N	mg/L	2.1	Max. 2.1 Avg. 0.400	0.06	0.03	0.04	0.05	0.04	0.005	0.03	0.005	0.03	0.08	0.11	0.14
Hardness	mg CaCO ₃ /L	-	-	54	53	56	55	65	61	64	62	65	66	69	71
Calcium	mg/L	-	-	12.2	12.1	12.7	12.3	13.7	12.4	13.1	12.8	14.0	14.2	14.9	15.4
Magnesium	mg/L	-	-	5.64	5.57	5.89	5.75	7.60	7.20	7.68	7.37	7.29	7.41	7.70	7.91
Potassium	mg/L	-	-	3.58	5.44	3.65	3.47	3.63	2.99	3.25	3.06	2.96	3.01	3.14	3.63
Sodium	mg/L	-	-	15.7	15.5	16.2	15.8	19.6	19.5	21.0	20.5	19.5	19.8	20.7	20.9
D.R. Phosphorus	mg/L	-	-	0.028	0.034	0.028	0.023	0.008	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025



Determinant	Units	ANZECC DGV (95%ile species protection)	Consent Trigger Values (Table C1)	HS1A (from April 2020)	HS1	HS2	HS3	HS1A (from April 2020)	HS1	HS2	HS3	HS1A (from April 2020)	HS1	HS2	HS3
				August				September				October			
Dissolved Aluminium	mg/L	0.055	Med. 0.055	0.046	0.029	0.058	0.049	0.023	0.025	0.043	0.026	0.045	0.078	0.039	0.066
Dissolved Arsenic	mg/L	0.024	Med. 0.024	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>
Dissolved Boron	mg/L	0.370	-	0.05	0.05	0.06	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.07
Dissolved Cadmium	mg/L	0.0002	Med. 0.0002	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>	<i>0.0001</i>
Dissolved Chromium (VI)	mg/L	0.001	-	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>	<i>0.0005</i>
Dissolved Copper	mg/L	0.0014	Med. 0.0014	0.0023	0.0021	0.0023	0.0020	0.0017	0.0017	0.0017	0.0016	0.0014	0.0015	0.0010	0.0015
Dissolved Iron	mg/L	-	-	0.14	0.11	0.16	0.19	0.25	0.12	0.22	0.14	0.12	0.20	0.11	0.19
Dissolved Lead	mg/L	0.0034	Med. 0.0034	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>
Dissolved Manganese	mg/L	1.9	-	0.014	0.017	0.0092	0.011	0.122	0.011	0.014	0.011	0.0053	0.013	0.014	0.016
Dissolved Mercury	mg/L	0.0006	Med. 0.0006	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>
Dissolved Nickel	mg/L	0.011	Med. 0.011	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	0.0006	<i>0.00025</i>	0.0006	0.0006	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>	<i>0.00025</i>
Dissolved Zinc	mg/L	0.008	Med. 0.008	0.007	0.006	0.004	0.003	0.004	<i>0.001</i>	0.005	0.003	<i>0.001</i>	0.002	0.004	0.003

Notes:

Bold – denotes an exceedance of the ANZECC AE 95% protection level trigger values

Underlined – denotes exceedance of the Consent Trigger Value.

All '<' values have been reported as half the detection limit for statistical purposes and are expressed in italics



There were **twenty-nine exceedances** of the resource consent conditions in samples from the Hokio Stream during the August, September, and October 2022 sampling rounds.

The exceedances are summarised as follows:

- In August, September, and October 2022, the Nitrate-N concentrations exceeded the ANZECC (95%ile) DGV of 0.16 mg/L at all sampling locations, with the August results being the highest of the quarter, and October the lowest. Whilst these results were not the highest ever on record, they are the highest they have been since October 2017.
- In August 2022, the dissolved aluminium concentration of HS2 exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L, at 0.058 mg/L. In October 2022 dissolved aluminium concentrations also exceeded for HS1 (0.078 mg/L) and HS3 (0.066 mg/L). However, these exceedances are not uncharacteristic given historical monitoring results dating back to 1994 which show aluminium concentrations varying considerably over time.
- In August, September and October 2022, the dissolved copper concentrations exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L at all sampling locations (except HS1A and HS2 October 2022). However, these exceedances are not uncharacteristic given historical data which shows copper frequently exceeding 0.0014 mg/L for all surface water sampling locations since 1994.
- scBOD₅ was not detected in Hokio Stream during September 2022, therefore the scBOD₅ concentrations at all sampling locations have been reported at 3 mg/L (half the laboratory detection limit), and thus exceeded the ANZECC (95%ile) DGV of 2 mg/L. Please refer to commentary on this reporting issue in Section 2.1. It is our opinion that this should not be considered as reflective of 'real' conditions in the stream (i.e., it is an administrative non-compliance due to lab analysis errors, does not accurately represent the outcomes achieved for water quality in Hokio Stream).

Overall, the differences in monitoring results between the sites are marginal and there is little to no change in concentrations between upstream and downstream sites on the Hokio Stream. The *E. coli* counts are an exception to this trend, as they differ significantly between sites and sampling rounds. However, the *E. coli* counts noted in this report are within the historical range since sampling began in 1994.



3 Landfill Gas Detection in Monitoring Wells

Condition 4 of Discharge Permit 6011 requires that: “...*groundwater monitoring wells shall be sampled for landfill gas when groundwater samples are taken from the wells. As a minimum, sampling shall be undertaken for methane, carbon dioxide and oxygen...*”

In the past, landfill gas monitoring results were only reported in the Annual Report. A recommendation of the 2019 - 2020 Annual Report was that these results should be included in every quarterly monitoring report so that if any results are unusually high, appropriate action can be promptly undertaken, including putting safeguards in place at the monitoring bores.

Appendix E summarises the results of landfill gas monitoring undertaken on 4th October 2022. No sampling at C1 occurred.

Out of the 27 groundwater monitoring bores:

- Methane was detected in thirteen of the bores. The highest recorded level was 0.56% in bore D4, with 0.45% in both D3rs and D5. This is well below the lower explosive limit of 5% and is therefore deemed to represent a ‘safe’ level. However, the detection of methane reinforces the need for the necessary precautions generally applicable at landfill sites to be taken when conducting sampling.
- Landfill bore B2 showed a moderate carbon dioxide level of 1.48% - considerably less than last quarter’s 3.6%. However, this result is much higher than most boreholes – G2s the exception at 0.98%. A trend of decreasing carbon dioxide within B2 in recent periods appears to have emerged. This could be investigated further.
- Hydrogen sulphide was detected at bore E1d at a concentration of 1ppm, which is around the threshold at which a ‘rotten egg’ smell (commonly associated with H₂S) can be detected. Hydrogen sulphide was not detected in last quarter’s monitoring round.
- The landfill gas levels in October 2022 appear to be slightly variable compared to the previous quarter and reinforce the importance of continuing to monitor these changes and map any patterns. The results may be due to seasonal variations (e.g., different ground temperatures and/or groundwater levels), or may be related to prevailing weather conditions (e.g., different air pressures).

The possibility of encountering methane (and possible hydrogen sulphide) in groundwater bores endorses the need for appropriate health and safety measures to be adopted during monitoring, as is the case for the landfill gas extraction wells. No smoking should be permitted when personnel undertake groundwater sampling and when in the vicinity of the groundwater monitoring wells, or in fact anywhere else on the Levin Landfill site. For sake of safety a personal gas detector should be worn by all staff when working in the vicinity of the landfill.



4 Discussion

4.1 Sampling Quality Control and Assurance

The landfill extends over a significant area and there are many sampling locations. However, it is important that the time span of the sampling period is kept as short as possible because more infrequent (or erratic) sampling can make it difficult to compare results between rounds and determine trends at individual monitoring locations.

Whilst the surface water and groundwater samples were collected within a 7-day period, they were received by the laboratory outside the normally accepted 24-hour timeframe between sampling and reception. Meeting the monitoring timeframe is important because it means that there can be greater confidence in reliability of results, and comparisons with historical data.

The level of detection used in the laboratory for testing BOD was mostly set at 3 mg/L, however, on some occasions it was changed to 6 mg/L. This change in laboratory analytical method is not conducive to assessing compliance with the resource consent conditions. It is recommended that the laboratory method is carefully reviewed and corrected for future analyses. Checks should be undertaken by the sampling personnel before submitting samples for analysis, including on the Chain of Custody documentation, to ensure that the correct tests are requested and performed, with appropriate limits of detection.

4.2 Background Groundwater Quality

The quality of the natural background groundwater up-gradient from the landfill site is not subject to any consent conditions.

Results since 2010 for the background bores indicate that low pH values (i.e., typically between 6.0 and 6.8) are representative of background water quality in the shallow sand aquifer (G1S). However, the pH level for the October 2022 sampling round was 6.6 which is below the lower limit of the DWSNZ MAV for aesthetic determinants (7.0 pH units). As usual the deeper gravel aquifer (G1D) has a slightly higher pH of 7.1.

Dissolved iron concentrations have fluctuated considerably at both the G1S and G1D bores since monitoring of those bores began in 2010 and are mostly above the DWSNZ GV for aesthetic determinants (0.2 mg/L). During the October 2022 sampling round, the iron concentration at G1S was 2.96 mg/L – an exceedance of the DWSNZ GV but still within the historical results range recorded at this bore. Analysis of dissolved iron was not required for bore G1D during this sampling round. Elevated iron concentrations in groundwater are likely to be related to hydrogeological conditions found at the site and this phenomenon is common in groundwater in this area.

During the October 2022 sampling round, the dissolved aluminium concentration at G1S (0.105 mg/L) exceeded the DWSNZ MAV limit of 0.1 mg/L but was within the range observed at this location historically.

The monitoring results suggest that the quality of background groundwater may be being impacted by local ground conditions and/or activities up-gradient of the landfill. Background bore G1S consistently records elevated concentrations of a range of parameters which indicates that it is likely modified or impacted by anthropogenic activities, and therefore may not be suitable to use as reliable 'control' location for background water quality in the future.

4.3 Shallow Aquifer Groundwater Quality

4.3.1 Hydraulically down-gradient of the Old Landfill

There was **one exceedance of the ANZECC LDW trigger values** during the October 2022 monitoring round in samples hydraulically down-gradient of the old landfill.

The *E. coli* count for bore B2 (130 CFU/100ml) exceeded the ANZECC LDW trigger value of 100 CFU/100ml. B2 has exceeded on two other occasions within the last two years of monitoring.

However, bore C1 was not sampled during this monitoring round, which is a non-compliance with the resource consent conditions.

4.3.2 Hydraulically up-gradient of the Old Landfill and down-gradient of the New Landfill

There was **one exceedance of the ANZECC LDW trigger values** during the October 2022 monitoring round in samples hydraulically up-gradient of the old landfill and down-gradient of the new landfill.



The *E. coli* count for bore D6 (>240 CFU/100ml) exceeded the ANZECC LDW trigger value of 100 CFU/100ml. *E. coli* at D6 has shown exceedances on occasion in the past, the most recent being January 2022 at 830 CFU/100ml. Due to the leachate collection system at the new landfill, this exceedance is unlikely to be related to potential leachate – however, may wish to be investigated further.

Bore D3rs was sampled for the comprehensive suite of parameters (refer to Table 2-1 for a description of both comprehensive and indicator analytical suites). Table B in resource consent condition 3 of discharge permit 6010 requires bores D3rs and D3rd, as placement wells of bore D3r, to be sampled quarterly for the comprehensive suite of parameters for two years. Sampling of D3rs and D3rd started in October 2021 and should continue until, and including July 2023, to get two years of comprehensive monitoring.

4.3.3 Irrigation Area

There were **no exceedances of the ANZECC LDW trigger values** during the October 2022 monitoring round in groundwater samples taken from bores within the irrigation area (as described in Section 2.5 above).

4.4 Deep Aquifer Groundwater Quality

There were **four exceedances of the DWSNZ limits** in samples from the deep gravel aquifer during the October 2022 monitoring round.

Hardness exceeded the DWSNZ MAV of 200 mg CaCO₃/L at bore D3rd (204 mg CaCO₃/L). Hardness was only tested at D3rd due to consent requirements for a comprehensive suite, and this slight exceedance is not uncharacteristic when compared with historical data.

The dissolved manganese concentrations in bores C2DD (0.592 mg/L), Xd1 (0.5 mg/L), and D3rd (0.44 mg/L) exceeded the DWSNZ MAV of 0.4mg/L. The results for C2DD and Xd1 are within the historical range of concentrations observed. Bore D3rd is relatively new but there is an emerging trend which indicates that manganese is generally elevated in this bore, as it is for the other deep aquifer bores.

4.5 Leachate Effluent

Monitoring results from the leachate effluent samples are not required to meet either the ANZECC LDW trigger values or DWSNZ standards. However, during the October 2022 monitoring round there were two test results that were outside of the typical composition ranges for leachate at Class 1 landfills, as published in the WasteMINZ guidelines⁵.

These were for Ammonia-N (1640 mg/L) which exceeded the typical range of 3.4-1440 mg/L), and for dissolved mercury which was not detected (i.e., < 0.0005 mg/L) and so was less than the range of 0.2-50 mg/l.

While these results are not reflective of typical conditions at other, similar landfills around New Zealand, it is noted that they are within the historical range of results observed at the Levin Landfill site.

4.6 Tatana Property Drain

Under the revised resource consent conditions (2019), the Tatana Property drain samples are now assessed against the ANZECC 95%ile DGVs.

There were **six exceedances of the resource consent conditions** for three monitored parameters in samples from the TD1 location during the August 2022, September 2022, and October 2022 sampling rounds:

- The concentration of Nitrate-N in August (1.74 mg/L), September (0.35 mg/L), and October 2022 (3.77 mg/L) exceeded the ANZECC (95%ile) DGV of 0.16 mg/L. The October 2022 concentration is the highest value recorded since April 2021.
- The concentration of ammoniacal-N in September (2.24 mg/L) and October 2022 (10.8 mg/L) exceeded the ANZECC (95%ile) DGV of 2.1 mg/L. This is the highest value since March 2022 but is not uncharacteristic when compared with historical results.
- Due to the method of halving results below the laboratory detection limit, the scBOD₅ result for September 2022 (3 mg/L) will be assumed as an exceedance above the ANZECC (95%ile) of 2 mg/L. This assumption is due to the

⁵ Technical Guidelines for Disposal to Land, WasteMINZ, 2018



6 mg/L detection limit for the September sampling round providing uncertainty, whereas the 3 mg/L limit for the monitoring occasions provides a halved result below the exceedance level.

4.7 Hokio Stream

Under the revised resource consent conditions (2019), a new monitoring location (HS1A), upstream of HS1, was added to the Hokio Stream monitoring sites and all monitoring results for the Hokio Stream samples are now assessed against the ANZECC 95%ile DGVs.

There were **twenty-nine exceedances of the resource consent conditions** in samples from the Hokio Stream during the August, September, and October 2022 sampling rounds.

The exceedances are summarised as follows:

- In August, September, and October 2022, the Nitrate-N concentrations exceeded the ANZECC (95%ile) DGV of 0.16 mg/L at all sampling locations. Whilst these results were not the highest ever on record, they are the highest they have been since October 2017.
- In August 2022, the dissolved aluminium concentration of HS2 exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L, at 0.058 mg/L. In October 2022 dissolved aluminium concentrations also exceeded for HS1 (0.078 mg/L) and HS3 (0.066 mg/L). However, these exceedances are not uncharacteristic given historical monitoring results.
- In August, September and October 2022, the dissolved copper concentrations exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L at all sampling locations (except HS1A and HS2 October 2022). However, these exceedances are not uncharacteristic given historical data.
- In September 2022, the scBOD₅ concentrations at all sampling locations were calculated at 3 mg/L (due to halving), and thus exceeded the ANZECC (95%ile) DGV of 2 mg/L.

4.8 Consent Compliance

Discharge permit 6010 states that quarterly and annual monitoring results shall comply with the ANZECC LDW trigger values in the shallow groundwater aquifer (sand aquifer) and surface water bodies. Samples from the deep groundwater (gravel aquifer) shall comply with the applicable DWSNZ values. Should any parameters exceed these standards, the permit holder shall report to the Regional Council as soon as practicable on the significance of the results and, where the change can be attributed to the influence of landfill leachate, consult with the Regional Council to determine if further investigations or remedial measures are required.

Shallow Aquifer and Irrigation Area

There was **one exceedance** of consent conditions hydraulically up-gradient of the old landfill and down-gradient of the new landfill during the October 2022 monitoring period.

- The *E. coli* count at bore D6 (>240 CFU/100ml) exceeded the ANZECC LDW trigger value of 100 CFU/100ml.

There was **one exceedance** of consent conditions hydraulically down-gradient of the old landfill during the October 2022 monitoring period.

- The *E. coli* count at bore B2 (130 CFU/100ml) exceeded the ANZECC LDW trigger value of 100 CFU/100ml.

There were **no exceedances** of the resource consent conditions during the October 2022 sampling round for samples obtained from bores within the irrigation area.

Bore C1 was not sampled in October 2022, which is a consent non-compliance.

Deeper Gravel Aquifer

There were **four exceedances of the DWSNZ limits** in samples from the deep gravel aquifer during the October 2022 monitoring round.

- Hardness at bore D3rd (204 mg/CaCO₃/L) slightly exceeded the DWSNZ MAV of 200 mg CaCO₃/L. D3rd has yielded similar values across previous monitoring periods.
- The dissolved manganese concentrations in bores C2DD (0.59 mg/L), Xd1 (0.5 mg/L, and D3rd (0.44 mg/L) exceeded the DWSNZ MAV of 0.4 mg/L. The results for C2DD and Xd1 are within the historical range of concentrations observed. Bore D3rd is relatively new but there is an emerging trend which indicates that manganese is generally elevated in this bore, as it is for the other deep aquifer bores.

Tatana Property Drain

There were **six exceedances of the resource consent conditions** for samples from TD1 location during the August 2022 to October 2022 monitoring period as follows:



- The concentration of Nitrate-N in August (1.74 mg/L), September (0.35 mg/L), and October 2022 (3.77 mg/L) exceeded the ANZECC (95%ile) DGV of 0.16 mg/L. Whilst the October 2022 concentration is the highest value recorded since April 2021, all exceedances are not exceptional compared to results in the last two years.
- The concentration of Ammoniacal-N in September (2.24 mg/L) and October 2022 (10.8 mg/L) exceeded the ANZECC (95%ile) DGV of 2.1 mg/L. This is the highest value since March 2022 but is not uncharacteristic when compared with historical results.
- Due to the method of halving results below the laboratory detection limit, the scBOD₅ result for September 2022 (3 mg/L) will be assumed as an exceedance above the ANZECC (95%ile) of 2 mg/L. This is an issue with the laboratory's testing methodology, as the detection level (and thus, halved result) is greater than the ANZECC standard, and provides an uncertain conclusion.

Hokio Stream

There were **twenty-nine exceedances** of the resource consent conditions in samples from the Hokio Stream during the August, September, and October 2022 sampling rounds.

The exceedances are summarised as follows:

- In August, September, and October 2022, the Nitrate-N concentrations exceeded the ANZECC (95%ile) DGV of 0.16 mg/L at all sampling locations. Whilst these results were not the highest ever on record, they are the highest they have been since October 2017.
- In August 2022, the dissolved aluminium concentration of HS2 exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L, at 0.058 mg/L. In October 2022 dissolved aluminium concentrations also exceeded for HS1 (0.078 mg/L) and HS3 (0.066 mg/L). However, these exceedances are not uncharacteristic given historical monitoring results.
- In August, September and October 2022, the dissolved copper concentrations exceeded the ANZECC (95%ile) DGV of 0.0014 mg/L at all sampling locations (except HS1A and HS2 October 2022). However, these exceedances are not uncharacteristic given historical data.
- In September 2022, the scBOD₅ concentrations at all sampling locations were calculated at 3 mg/L (due to halving), and thus exceeded the ANZECC (95%ile) DGV of 2 mg/L.



5 Conclusions

Monitoring results obtained in the August 2022 to October 2022 sampling rounds suggest that the groundwater at the background monitoring sites at the Levin Landfill is being impacted by local ground conditions and/or activities up-gradient of the landfill.

During the August 2022 to October 2022 monitoring period there were forty-one exceedances of the resource consent conditions; two exceedances were in the shallow aquifer (one hydraulically down-gradient of the old landfill and one hydraulically up-gradient of the old landfill), four from the deep aquifer, six in samples from the Tatana Property drain, and the remaining twenty-nine from the surface water monitoring at locations along the Hokio Stream.

There were two occasions where the leachate effluent quality was outside of the ranges for typical leachate composition, as recorded generally at Class 1 landfills in New Zealand. This occurred for Ammoniacal-N which exceeded the typical range, and for mercury which was below the detection limit and so under the typical range. Note that leachate effluent is not subject to any consent limits.

Bore C1 was not sampled during this monitoring round. This will result in a non-compliance with respect to the resource consent conditions.

The level of detection used in the laboratory for testing scBOD₅ was mostly set at 3 mg/L, however, on some occasions it was set at 6 mg/L. This is impractical as recent practice has been to halve any results which have fallen below the level of detection, and with a level set at 6 mg/L, the halved result of 3 mg/L is greater than the ANZECC (95%ile) of 2 mg/L. Due to uncertainty surrounding the actual result, it has yielded a non-compliance for Tatana Property Drain. Ideally, the detection level should be kept at 3 mg/L in future.

Methane was detected in thirteen groundwater monitoring bores in the October 2022 sampling round. Methane concentrations are moderately greater than they were during the July 2022 monitoring round. However, the highest concentration of methane during October 2022 was 0.56%, in bore D4, with bores D3rs and D5 yielding 0.45%. These are well below the explosive limit of 5% and represent a 'safe' level.

Additionally, a moderate level of carbon dioxide (1.48%) was measured at bore B2. Previously, B2 has showed carbon dioxide levels of 3.6% (July 2022) and 5.2% (April 2022), so there appears to be a decreasing trend, which could be investigated further.

Hydrogen sulphide was detected at bore E1d at a concentration of 1ppm.

The possibility of encountering methane (and possible hydrogen sulphide) in groundwater bores endorses the need for appropriate health and safety measures to be adopted during monitoring, as is the case for the landfill gas extraction wells. No smoking should be permitted when personnel undertake groundwater sampling and when in the vicinity of the groundwater monitoring wells, or in fact anywhere else on the Levin Landfill site. For the safety of site personnel, a personal gas detector should be worn by all workers at the landfill site.

Appendices

We design with community in mind












Appendix A Site Plan



26/08/2019 9:35 a.m.

[illegible]

LEGEND

-  MONITORING SAMPLING LOCATION
-  MONITOR BORES CURRENTLY SAMPLED (FROM JAN 2010)
-  BORES NOT SAMPLED
-  SHALLOW HANDAUGER STANDPIPES NOT ABLE TO BE LOCATED
-  SOIL SAMPLING LOCATION PEG - MONITORED
-  SOIL SAMPLING LOCATION PEG - NOT MONITORED
-  EXISTING STORMWATER SOAKAGE AREA
-  PROPOSED STORMWATER SOAKAGE AREA
-  PROPOSED BORROW AREAS

COORDINATES OF SURVEY CONTROL MARKS			
PT	NORTHING mN	EASTING mE	RL
ORM 1	659 498.38	276 412.21	38.94
ORM 2	659 510.09	276 422.72	34.98
ORM 3	659 505.14	276 612.86	21.10
ORM 4(OP/W)	659 380.16	276 511.94	30.92
MWH NAIL 1	659 272.67	276 656.87	27.61
MWH NAIL 2	659 278.98	276 695.22	28.40
MWH IT 1	659 267.33	276 576.02	30.03
MWH IT 2	659 361.94	276 627.00	33.70
MWH IT 3	659 428.24	276 593.00	32.74
MWH PEG 1	659 160.94	276 548.30	32.99
MWH PEG 2	659 227.86	276 479.35	30.49
IRI1	659 075.85	276 698.70	30.04
OIR	658 903.62	276 579.37	30.35
IRI	659 121.09	276 679.47	41.00
IR	276 625.10	658 981.29	20.30


COORDINATES ARE IN TERMS OF
NEW ZEALAND GEODETIC DATUM 1949: WANGANUI CIRCUIT

SOIL MONITORING LOCATIONS	CO-ORDINATES		LEVEL (m)
	NORTHING nN	EASTING mE	
PEG A	658 938.80	276 882.30	39.2
PEG B	658 917.00	276 932.10	39.5
PEG C	658 862.70	276 899.00	46.1
PEG D	658 822.90	276 930.40	40.4
PEG E	658 965.50	276 294.00	36.6
PEG F	659 046.20	276 169.10	32.9
PEG G	658 878.00	276 520.20	32.6
PEG H	658 827.40	276 667.60	23.5

BORROW AREA 1 SET-OUT COORDINATES		
POINT NO.	NORTHINGS mN	EASTINGS mE
1	659 230.38	276 453.28
2	659 247.32	276 413.49
3	659 257.33	276 349.62
4	659 280.93	276 269.42
5	659 233.27	276 243.39
6	659 201.34	276 302.68

NOTES:

1. LEVELS ARE TOP OF STANDPIPE. WHERE THERE IS NO STANDPIPE, LEVELS ARE TOP OF PVC PIPE.
2. BHA2, BHA3 AND BDH3 HAVE BEEN LOST DUE TO SITE WORKS.
3. "A" SERIES BORE HOLES ARE AUGER HOLES ONLY AND MAY NOT BE ABLE TO BE LOCATED.
4. BORES INSTALLED IN AUG 2009. DETAILS ARE APPROXIMATE.
5. CONTOUR INTERVALS: 5m MAJOR, 1m MINOR



NOT FOR CONSTRUCTION

										SURVEYED		MWH			Client: 	HOROWHENUA DISTRICT COUNCIL LEVIN LANDFILL		Status Stamp		FOR INFORMATION ONLY			
										DESIGNED		N/A						Date Stamp				24.09.21	
E	FOR INFORMATION - BHD3(rs AND BHD3(r)nd ADDED, AND CONTOURS UPDATED FROM JULY 2021 SURVEY								BCJ	PSL	PSL	24.09.21	DRAWN			Brent James	08.2019		MONITORING BORES, SOIL SAMPLING LOCATIONS & BORROW AREAS SITE PLAN, LOCATION AND DETAILS	Scales	1:2000 (A1) 1:4000 (A3)	Drawing No. 310101088-19-001-G001	Rev. E
D	FOR INFORMATION - BORROW AREA 2 RELOCATED, DEFINED AREAS OF FUTURE STAGES 1B, 4 AND 5								BCJ	PSL	PSL	01.06.21	CAD REVIEW			Brent James	23.09.21						
C	FOR INFORMATION - BORROW AREA AND LANDFILL AREA UPDATES AND BORE HOLES AND SAMPLING LOCATIONS ADDED FOR HOKIOI STREAM AND TATIANA DRAIN								BCJ	PSL	PSL	24.03.21	APPROVED	Phil Landmark	23.09.21								
B	FOR INFORMATION - BORROW AREA AND LANDFILL AREA UPDATES								BCJ	PSL	PSL	22.09.20	PROF REGISTRATION:			MONITORING BORES, SOIL SAMPLING LOCATIONS & BORROW AREAS SITE PLAN, LOCATION AND DETAILS	Drawing No. 310101088-19-001-G001	Rev. E					
A	FOR INFORMATION								BCJ	PSL	PSL	26.08.19											
REV	REVISIONS								DRN	CHK	APP	DATE											

Appendix B Sampling Schedule



(The testing regime is based on Consent Conditions following the completion of the 2015 Resource Consent Review process).

Notes:

- | |
|---|
| <p>A reduction in sampling frequency at any groundwater monitoring point is conditional on (Clauses A - D of Condition 3, DP 6010):</p> <ul style="list-style-type: none"> A. Completion of the initial monitoring program; B. Good consistency of groundwater sample analysis results, or a clearly identified reason for inconsistent results that excludes the contaminant source being landfill operations, stored waste or leachate; C. No decline in groundwater quality as determined from indicator parameter trends over a period of four consecutive sampling rounds; D. If a well being monitored on a conditional frequency becomes non-compliant with condition C, the monitoring frequency for that well should return to the initial monitoring frequency until conditions B and C are again being fulfilled. |
|---|

⁽²⁾ If site management planning indicates any **early detection monitoring well** is likely to become buried or otherwise destroyed within the following year as a result of normal operations (Clauses E - H, Condition 3, DP 6010):

- E. This must be communicated to the regional council;
- F. A replacement well is to be constructed in a position agreed upon with Horizons Regional Council
- G. The replacement well should be installed in a position suitable to act as a early detection well and be classed as an early detection well;
- H. The replacement well should be constructed as a nested well (or two separate wells) with screens positioned in both shallow and deep aquifers.

⁽⁴⁾ A reduction in sampling frequency at the **Hokio Stream monitoring locations (HS1A, HS2 and HS3)** is conditional on (Clauses I - L, Condition 3 of DP 6010):

- I. No significant increases in the concentrations between monitoring sites HS1A and HS3, for parameters exceeding the trigger values contained in Table C1 at Site HS3.
- J. A statistical analysis approach is to be used to determine if there is a significant increase in contaminant levels between HS1A and HS3.
- K. Following the 24 month monitoring period, there shall be no significant increases in concentrations between monitoring sites HS1A and HS3.
- L. If the Hokio Stream monitoring locations are being sampled on a conditional frequency and do not meet condition K, the monitoring frequency for all three monitoring locations (HS1A, HS2 and HS3) shall return to the base case intensive monitoring until conditions J and K are again being fulfilled.

⁽⁵⁾ A reduction in sampling frequency at the leachate pond outlet is conditional on (Clauses M - P, Condition 3, DP 6010):

- M. Completion of the initial 2 year monitoring program;
- N. Good consistency of water sample analysis results, or a clearly identified reason for inconsistent results;
- O. No decline in water quality over a period of four consecutive sampling rounds;
- P. If the leachate pond outlet is being sampled on a conditional frequency and becomes non-compliant with condition O, the monitoring frequency should return to the base case intensive monitoring until conditions N and O are again being fulfilled.

Characterising parameters	pH
	electrical conductivity (EC)
	alkalinity
	total hardness
	suspended solids
Oxygen demand	COD and scBOD ₅
Nutrients*	NO ₃ -N, NH ₄ -N, DRP and SO ₄
Metals*	Al, As, Cd, Cr, Cu, Fe, Mg, Mn, Ni, Pb, Zn and Hg
Other elements	B, Ca, Cl, K and Na
Organics	Total organic carbon, total phenols, volatile acids
Biological	E. coli

Characterising parameters	pH electrical conductivity (EC)
Oxygen demand	COD and scBOD ₅
Nutrients*	NO ₃ -N and NH ₄ -N
Metals*	AL, Mn, Ni, Pb and Hg
Other elements	B and Cl
Biological ⁺	E. coli

[†] *E. coli* added from April 2019 sampling onwards

Appendix C Analytical Results



Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037271-01**

REPORT DATE

20/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** **812-2022-00109760****Sampling Point** WIL-B1:Levin B1**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 08:25**Collected By Eurofins** False**Analysis Ending Date:** 20/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 5.43 (± 0.81) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 43 (± 8) mg/l 15

NW007 Chloride

Chloride (Cl) 330 (± 16.5) mg/l 0.02

NW023 Conductivity

Conductivity 203 (± 4.1) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 40.1 (± 2.00) mg/l 0.01

NW195 pH

pH 6.9 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.009 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 1.16 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 5.36 (± 0.536) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0026 (± 0.0008) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online


Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-037269-01

REPORT DATE

20/10/2022

Attention Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00061940**SAMPLE CODE** 812-2022-00109758**Sampling Point** WIL-B2:Levin B2**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 09:00**Collected By Eurofins** False**Analysis Ending Date:** 20/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 34.4 (± 3.44) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 45 (± 8) mg/l 15

NW007 Chloride

Chloride (Cl) 76.0 (± 3.80) mg/l 0.02

NW023 Conductivity

Conductivity 137 (± 2.7) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 130 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 20.9 (± 1.04) mg/l 0.01

NW195 pH

pH 6.7 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.027 (± 0.003) mg/l 0.002

NW103 Soluble Boron

Boron (B) 1.25 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 1.68 (± 0.168) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0019 (\pm 0.0006) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B


NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Ivan Imamura Laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-037000-01

REPORT DATE

19/10/2022

Attention Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Lauren May
Contract: Landfill**Order code:** EUNZWE-00061940**SAMPLE CODE** 812-2022-00109751**Sampling Point** WIL-B3:Levin B3s**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 10:40**Sampled by Eurofins** False**Analysis Ending Date:**

19/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N)

104 (± 10.4) mg/l

0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5

21 (± 3) mg/l

1

NW020 Chemical Oxygen DemandChemical oxygen demand
(COD)

40 (± 8) mg/l

15

NW007 Chloride

Chloride (Cl)

132 (± 6.62) mg/l

0.02

NW023 Conductivity

Conductivity

229 (± 4.6) mS/m

0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli

<4 cfu/100 ml

4

NW010 Nitrate-N

Nitrate-N

0.35 (± 0.09) mg/l

0.01

NW195 pH

pH

7.0 (± 0.2)

0.1

NW098 Soluble Aluminium

Aluminium

0.005 (± 0.001) mg/l

0.002

NW103 Soluble Boron

Boron (B)

1.11 mg/l

0.03

NW110 Soluble Lead

Lead (Pb)

<0.0005 (± 0.0002) mg/l

0.0005

NW113 Soluble Manganese

Manganese (Mn)

1.73 (± 0.173) mg/l

0.0005

NW114 Soluble Mercury

Mercury (Hg)

<0.0005 mg/l

0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0108 (± 0.0032) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-037003-01

REPORT DATE

19/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** 812-2022-00109757**Sampling Point** WIL-C2:Levin C2**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 07:20**Sampled by Eurofins** False**Analysis Ending Date:** 19/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 162 (± 16.2) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 55 (± 10) mg/l 15

NW007 Chloride

Chloride (Cl) 152 (± 7.60) mg/l 0.02

NW023 Conductivity

Conductivity 258 (± 5.2) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.10 (± 0.02) mg/l 0.01

NW195 pH

pH 7.0 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.022 (± 0.002) mg/l 0.002

NW103 Soluble Boron

Boron (B) 1.55 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.240 (± 0.0240) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0052 (\pm 0.0016) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORTREPORT CODE **AR-22-NW-036555-01**

REPORT DATE

15/10/2022

Attention Downer NZ Ltd (EDI Levin)
 Horowhenua Admin
 P O Box 642
 4741 Levin
 NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
 (waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061425**SAMPLE CODE** **812-2022-00108955****Sampling Point** WIL-C2dd:Levin C2dd**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 06:45**Sampled by Eurofins** False**Analysis Ending Date:** 15/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 0.33 (± 0.10) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 41.8 (± 2.09) mg/l 0.02

NW023 Conductivity

Conductivity 57.3 (± 1.1) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 0.01 (± 0.005) mg/l 0.01

NW195 pH

pH 7.5 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.005 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.05 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.592 (± 0.0592) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0005 (\pm 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037001-01**

REPORT DATE

19/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** **812-2022-00109753****Sampling Point** WIL-C2ds:Levin C2ds**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 07:50**Sampled by Eurofins** False**Analysis Ending Date:** 19/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 1.18 (± 0.18) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 55 (± 10) mg/l 15

NW007 Chloride

Chloride (Cl) 78.1 (± 3.90) mg/l 0.02

NW023 Conductivity

Conductivity 124 (± 2.5) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.10 (± 0.02) mg/l 0.01

NW195 pH

pH 6.7 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium <0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.55 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 1.38 (± 0.138) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0018 (± 0.0006) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-036558-01**

REPORT DATE

15/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061425**SAMPLE CODE** **812-2022-00108958****Sampling Point** WIL-D1:Levin D1**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 09:45**Sampled by Eurofins** False**Analysis Ending Date:** 15/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) <0.01 (± 0.003) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 14.8 (± 0.74) mg/l 0.02

NW023 Conductivity

Conductivity 32.5 (± 0.7) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 5.86 (± 0.59) mg/l 0.01

NW195 pH

pH 6.9 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.003 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.03 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.0015 (± 0.0004) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

<0.0005 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-036557-01**

REPORT DATE

15/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061425**SAMPLE CODE** **812-2022-00108957****Sampling Point** WIL-D2:Levin D2**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 10:20**Sampled by Eurofins** False**Analysis Ending Date:** 15/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.65 (± 0.19) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 31 (± 7) mg/l 15

NW007 Chloride

Chloride (Cl) 48.6 (± 2.43) mg/l 0.02

NW023 Conductivity

Conductivity 46.7 (± 0.9) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 16 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 6.4 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.04 mg/l 0.03

NW109 Soluble Iron

Iron (Fe) 5.32 (± 1.06) mg/l 0.01

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.410 (± 0.0410) mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

NW116 Soluble Nickel

Nickel (Ni) <0.0005 (± 0.0002) mg/l 0.0005

NW120 Soluble Sodium

Sodium (Na) 40.6 mg/l 0.01

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW109 **Soluble Iron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW120 **Soluble Sodium:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-038917-01**

REPORT DATE

02/11/2022**Attention** Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00061425**SAMPLE CODE** **812-2022-00108963****Sampling Point** WIL-D3rd:Levin D3rd**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 08:50**Sampled by Eurofins** False**Analysis Ending Date:** 02/11/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.42 (± 0.12) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) 0.020 (± 0.002) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 59.8 (± 5.98) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 31.6 (± 1.58) mg/l 0.02

NW023 Conductivity

Conductivity 52.3 (± 1.0) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 1.23 (± 0.123) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW460 Iron - Dissolved

Iron (Fe) 0.033 (± 0.007) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 13.3 (± 1.33) mg/l 0.01

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 7.7 (± 0.2) 0.1

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	23.0 (± 2.30) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	<0.002 (± 0.001) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.03 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	<0.0005 (± 0.0002) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.440 (± 0.0440) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	<0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	6.57 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	<0.002 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	<0.02 (± 0.01) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	28 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	211 (± 21) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	204 (± 20) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	5.7 (± 0.6) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORTREPORT CODE **AR-22-NW-038916-01**

REPORT DATE

02/11/2022**Attention** Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00061425**SAMPLE CODE** **812-2022-00108960****Sampling Point** WIL-D3rs:Levin D3rs**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 11:30**Sampled by Eurofins** False**Analysis Ending Date:** 02/11/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N)

0.62 (± 0.19) mg/l

0.01

NW583 Arsenic - Soluble

Arsenic (As)

0.001 (± 0.0004) mg/l

0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5

<3 (± 0.4) mg/l

1

NW457 Calcium - Dissolved

Calcium (Ca)

10.1 (± 1.01) mg/l

0.01

NW020 Chemical Oxygen DemandChemical oxygen demand
(COD)

46 (± 8) mg/l

15

NW007 Chloride

Chloride (Cl)

14.1 (± 0.70) mg/l

0.02

NW023 Conductivity

Conductivity

17.3 (± 0.3) mS/m

0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive)

0.077 (± 0.015) mg/l

0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli

<4 cfu/100 ml

4

NW460 Iron - Dissolved

Iron (Fe)

14.9 (± 1.49) mg/l

0.005

NW462 Magnesium - Dissolved

Magnesium (Mg)

4.16 (± 0.42) mg/l

0.01

NW010 Nitrate-N

Nitrate-N

<0.01 (± 0.003) mg/l

0.01

NW195 pH

pH

6.8 (± 0.2)

0.1

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	20.0 (± 2.00) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.072 (± 0.007) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.03 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	0.003 (± 0.0005) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0010 (± 0.0003) mg/l	0.0005
NW109 Soluble Iron		
Iron (Fe)	13.3 (± 1.33) mg/l	0.01
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.309 (± 0.0309) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0010 (± 0.0004) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.63 mg/l	0.01
NW120 Soluble Sodium		
Sodium (Na)	19.8 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.003 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	1.63 (± 0.16) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	67 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	58 (± 6) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	42 (± 4) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	21.5 (± 2.1) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5
Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW109 Soluble Iron: APHA Online Edition 3125 B mod.	NW110 Soluble Lead: APHA Online Edition 3125 B mod.
NW113 Soluble Manganese: APHA Online Edition 3125 B mod.	NW114 Soluble Mercury: APHA Online Edition 3125 B mod.
NW116 Soluble Nickel: APHA Online Edition 3125 B mod.	NW117 Soluble Potassium: APHA Online Edition 3125 B mod.
NW120 Soluble Sodium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

Food & Water Testing

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037270-01**

REPORT DATE

20/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** **812-2022-00109759****Sampling Point** WIL-D4:Levin D4**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 06:50**Collected By Eurofins** False**Analysis Ending Date:** 20/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.23 (± 0.07) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 33.9 (± 1.69) mg/l 0.02

NW023 Conductivity

Conductivity 29.2 (± 0.6) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 6.9 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.004 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.04 mg/l 0.03

NW109 Soluble Iron

Iron (Fe) 4.27 (± 0.85) mg/l 0.01

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.214 (± 0.0214) mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

NW116 Soluble Nickel

Nickel (Ni) <0.0005 (± 0.0002) mg/l 0.0005

NW120 Soluble Sodium

Sodium (Na) 33.4 mg/l 0.01

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW109 **Soluble Iron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW120 **Soluble Sodium:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B


NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-035942-01

REPORT DATE

12/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RYANH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061162**SAMPLE CODE** 812-2022-00108302**Sampling Point** WIL-D5:Levin D5**Reception Date & Time:** 06/10/2022 13:11**Analysis Start Date & Time:** 06/10/2022 15:53**Sampled Date & Time** 05/10/2022 11:30**Sampled by Eurofins** False**Analysis Ending Date:**

12/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.02 (± 0.006) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <1 (± 0.3) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 31.0 (± 1.55) mg/l 0.02

NW023 Conductivity

Conductivity 32.3 (± 0.6) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 0.40 (± 0.10) mg/l 0.01

NW195 pH

pH 7.1 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.03 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.150 (± 0.0150) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

<0.0005 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-036556-01**

REPORT DATE

15/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061425**SAMPLE CODE** **812-2022-00108956****Sampling Point** WIL-D6:Levin D6**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 12:00**Sampled by Eurofins** False**Analysis Ending Date:** 15/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) <0.01 (± 0.003) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 8.81 (± 0.88) mg/l 0.02

NW023 Conductivity

Conductivity 21.5 (± 0.4) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli >240 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 6.31 (± 0.63) mg/l 0.01

NW195 pH

pH 7.0 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.04 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.0036 (± 0.0008) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

<0.0005 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor




Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Maria Norris Laboratory Manager, Microbiology

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-036559-01**

REPORT DATE

15/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061425**SAMPLE CODE** **812-2022-00108959****Sampling Point** WIL-E1d:Levin E1d**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 07:10**Sampled by Eurofins** False**Analysis Ending Date:**

15/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.20 (± 0.06) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 39.1 (± 1.95) mg/l 0.02

NW023 Conductivity

Conductivity 44.8 (± 0.9) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 7.6 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium <0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.04 mg/l 0.03

NW109 Soluble Iron

Iron (Fe) 0.05 (± 0.01) mg/l 0.01

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.215 (± 0.0215) mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

NW116 Soluble Nickel

Nickel (Ni) <0.0005 (± 0.0002) mg/l 0.0005

NW120 Soluble Sodium

Sodium (Na) 36.0 mg/l 0.01

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW109 **Soluble Iron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW120 **Soluble Sodium:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037266-01**

REPORT DATE

20/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** **812-2022-00109752****Sampling Point** WIL-E1s:Levin E1s**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 06:10**Collected By Eurofins** False**Analysis Ending Date:**

20/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.19 (± 0.06) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 26.9 (± 1.35) mg/l 0.02

NW023 Conductivity

Conductivity 26.8 (± 0.5) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 6.9 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.006 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) <0.03 mg/l 0.03

NW109 Soluble Iron

Iron (Fe) 5.67 (± 1.13) mg/l 0.01

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.281 (± 0.0281) mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

NW116 Soluble Nickel

Nickel (Ni) <0.0005 (± 0.0002) mg/l 0.0005

NW120 Soluble Sodium

Sodium (Na) 26.8 mg/l 0.01

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW109 **Soluble Iron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW120 **Soluble Sodium:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B


NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORTREPORT CODE **AR-22-NW-036554-01**

REPORT DATE

15/10/2022

Attention Downer NZ Ltd (EDI Levin)
 Horowhenua Admin
 P O Box 642
 4741 Levin
 NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
 (waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061425**SAMPLE CODE** **812-2022-00108954****Sampling Point** WIL-E2d:Levin E2d**Reception Date & Time:** 07/10/2022 13:48**Analysis Start Date & Time:** 07/10/2022 16:49**Sampled Date & Time** 06/10/2022 07:50**Sampled by Eurofins** False**Analysis Ending Date:**

15/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ**NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 0.32 (± 0.10) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 40.4 (± 2.02) mg/l 0.02

NW023 Conductivity

Conductivity 33.9 (± 0.7) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 7.6 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium <0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) <0.03 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.229 (± 0.0229) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni) <0.0005 (± 0.0002) mg/l 0.0005

LIST OF METHODS

NW007	Chloride: APHA Online Edition 4110 B	NW010	Nitrate-N: APHA Online Edition 4110 B
NW020	Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023	Conductivity: APHA Online Edition 2510 B
NW098	Soluble Aluminium: APHA Online Edition 3125 B mod.	NW103	Soluble Boron: APHA Online Edition 3125 B mod.
NW110	Soluble Lead: APHA Online Edition 3125 B mod.	NW113	Soluble Manganese: APHA Online Edition 3125 B mod.
NW114	Soluble Mercury: APHA Online Edition 3125 B mod.	NW116	Soluble Nickel: APHA Online Edition 3125 B mod.
NW179	Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW195	pH: APHA Online Edition 4500-H B
NW341	BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B	ZM0UY	Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-037267-01

REPORT DATE

20/10/2022

Attention Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00061940**SAMPLE CODE** 812-2022-00109755**Sampling Point** WIL-E2s:Levin E2s**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 06:35**Collected By Eurofins** False**Analysis Ending Date:**

20/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N)

0.24 (± 0.07) mg/l

0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5

<6 (± 0.8) mg/l

1

NW020 Chemical Oxygen DemandChemical oxygen demand
(COD)

<15 (± 5) mg/l

15

NW007 Chloride

Chloride (Cl)

41.0 (± 2.05) mg/l

0.02

NW023 Conductivity

Conductivity

44.5 (± 0.9) mS/m

0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli

4 cfu/100 ml

4

NW010 Nitrate-N

Nitrate-N

<0.01 (± 0.003) mg/l

0.01

NW195 pH

pH

7.3 (± 0.2)

0.1

NW098 Soluble Aluminium

Aluminium

0.002 (± 0.001) mg/l

0.002

NW103 Soluble Boron

Boron (B)

0.05 mg/l

0.03

NW109 Soluble Iron

Iron (Fe)

0.09 (± 0.02) mg/l

0.01

NW110 Soluble Lead

Lead (Pb)

0.0020 (± 0.0003) mg/l

0.0005

NW113 Soluble Manganese

Manganese (Mn)

0.419 (± 0.0419) mg/l

0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

NW116 Soluble Nickel

Nickel (Ni) 0.0006 (± 0.0002) mg/l 0.0005

NW120 Soluble Sodium

Sodium (Na) 44.0 mg/l 0.01

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW109 **Soluble Iron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW120 **Soluble Sodium:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Ivan Imamura Laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-035943-01**

REPORT DATE

12/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061162**SAMPLE CODE** **812-2022-00108308****Sampling Point** WIL-F1:Levin F1**Reception Date & Time:** 06/10/2022 13:11**Analysis Start Date & Time:** 06/10/2022 15:53**Sampled Date & Time** 05/10/2022 12:03**Sampled by Eurofins** False**Analysis Ending Date:**

12/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) <0.01 (± 0.003) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <1 (± 0.3) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 42.1 (± 2.11) mg/l 0.02

NW023 Conductivity

Conductivity 43.2 (± 0.9) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 0.48 (± 0.12) mg/l 0.01

NW195 pH

pH 6.9 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) <0.03 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.0045 (± 0.0009) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0006 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORTREPORT CODE **AR-22-NW-035941-01**

REPORT DATE

12/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061162**SAMPLE CODE** **812-2022-00108299****Sampling Point** WIL-F2:Levin F2**Reception Date & Time:** 06/10/2022 13:11**Analysis Start Date & Time:** 06/10/2022 15:53**Sampled Date & Time** 05/10/2022 12:32**Sampled by Eurofins** False**Analysis Ending Date:**

12/10/2022

Sampler(s)

Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ**NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) <0.01 (± 0.003) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <1 (± 0.3) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 27 (± 6) mg/l 15

NW007 Chloride

Chloride (Cl) 23.1 (± 1.15) mg/l 0.02

NW023 Conductivity

Conductivity 22.4 (± 0.4) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 0.35 (± 0.09) mg/l 0.01

NW195 pH

pH 7.1 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.04 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.0061 (± 0.0012) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

<0.0005 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-035944-01**

REPORT DATE

12/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061162**SAMPLE CODE** **812-2022-00108312****Sampling Point** WIL-F3:Levin F3**Reception Date & Time:** 06/10/2022 13:11**Analysis Start Date & Time:** 06/10/2022 15:53**Sampled Date & Time** 05/10/2022 12:50**Sampled by Eurofins** False**Analysis Ending Date:** 12/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) <0.01 (± 0.003) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <1 (± 0.3) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 16.9 (± 0.84) mg/l 0.02

NW023 Conductivity

Conductivity 19.4 (± 0.4) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 0.64 (± 0.16) mg/l 0.01

NW195 pH

pH 7.2 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.003 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) <0.03 mg/l 0.03

NW109 Soluble Iron

Iron (Fe) 0.01 (± 0.004) mg/l 0.01

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) <0.0005 (± 0.0002) mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

NW116 Soluble Nickel

Nickel (Ni) <0.0005 (± 0.0002) mg/l 0.0005

NW120 Soluble Sodium

Sodium (Na) 24.4 mg/l 0.01

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW109 **Soluble Iron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW120 **Soluble Sodium:** APHA Online Edition 3125 B mod.

NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-035938-01**

REPORT DATE

12/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061162**SAMPLE CODE** **812-2022-00108190****Sampling Point** WIL-G1D:Levin G1D**Reception Date & Time:** 06/10/2022 13:11**Analysis Start Date & Time:** 06/10/2022 13:44**Sampled Date & Time** 05/10/2022 07:05**Sampled by Eurofins** False**Analysis Ending Date:** 12/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 0.09 (± 0.03) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <1 (± 0.3) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 15 (± 6) mg/l 15

NW007 Chloride

Chloride (Cl) 30.9 (± 1.54) mg/l 0.02

NW023 Conductivity

Conductivity 27.6 (± 0.6) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 7.1 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium <0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) <0.03 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) 0.0006 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.0614 (± 0.0123) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

<0.0005 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-035939-01

REPORT DATE

12/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061162**SAMPLE CODE** 812-2022-00108191**Sampling Point** WIL-G1S:Levin G1S**Reception Date & Time:** 06/10/2022 13:11**Analysis Start Date & Time:** 06/10/2022 13:44**Sampled Date & Time** 05/10/2022 07:30**Sampled by Eurofins** False**Analysis Ending Date:** 12/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.04 (± 0.01) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <1 (± 0.3) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 72 (± 12) mg/l 15

NW007 Chloride

Chloride (Cl) 100 (± 5.00) mg/l 0.02

NW023 Conductivity

Conductivity 56.3 (± 1.1) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 0.11 (± 0.03) mg/l 0.01

NW195 pH

pH 6.6 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.105 (± 0.011) mg/l 0.002

NW103 Soluble Boron

Boron (B) <0.03 mg/l 0.03

NW109 Soluble Iron

Iron (Fe) 2.96 (± 0.59) mg/l 0.01

NW110 Soluble Lead

Lead (Pb) 0.0013 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.0686 (± 0.0137) mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

NW116 Soluble Nickel

Nickel (Ni) 0.0017 (± 0.0005) mg/l 0.0005

NW120 Soluble Sodium

Sodium (Na) 87.0 mg/l 0.01

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW109 **Soluble Iron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW120 **Soluble Sodium:** APHA Online Edition 3125 B mod.

NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-035940-01**

REPORT DATE

12/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061162**SAMPLE CODE** **812-2022-00108192****Sampling Point** WIL-G2:Levin G2s**Reception Date & Time:** 06/10/2022 13:11**Analysis Start Date & Time:** 06/10/2022 13:44**Sampled Date & Time** 05/10/2022 08:10**Sampled by Eurofins** False**Analysis Ending Date:** 12/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) <0.01 (± 0.004) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <1 (± 0.3) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 16 (± 6) mg/l 15

NW007 Chloride

Chloride (Cl) 517 (± 25.8) mg/l 0.02

NW023 Conductivity

Conductivity 185 (± 3.7) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 7.1 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.006 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.64 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.135 (± 0.0135) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0023 (± 0.0007) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW023 **Conductivity:** APHA Online Edition 2510 B

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW195 **pH:** APHA Online Edition 4500-H B

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-032486-01**

REPORT DATE

15/09/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00052996**SAMPLE CODE** **812-2022-00087186****Sampling Point** WIL-HS1:Levin HS1**Reception Date & Time:** 17/08/2022 17:30**Analysis Start Date & Time:** 17/08/2022 17:42**Sampled Date & Time** 16/08/2022 12:07**Analysis Ending Date:** 15/09/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 0.03 (± 0.01) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 12.1 (± 1.21) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 28 (± 7) mg/l 15

NW007 Chloride

Chloride (Cl) 20.6 (± 1.03) mg/l 0.02

NW023 Conductivity

Conductivity 20.0 (± 0.4) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.034 (± 0.007) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 20 cfu/100 ml 4

NW029 HardnessHardness 53 (± 5) mg CaCO₃/l 1**NW460 Iron - Dissolved**

Iron (Fe) 0.111 (± 0.022) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 5.57 (± 0.56) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 2.53 (± 0.25) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.4 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	15.5 (± 1.55) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.029 (± 0.003) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.05 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0004) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0021 (± 0.0005) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0165 (± 0.0033) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	<0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	5.44 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.006 (± 0.0009) mg/l	0.002
NW011 Sulphate		
Sulphate	17.2 (± 0.86) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	6 (± 2) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	38 (± 4) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	7.3 (± 0.7) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③ VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager Microbiology

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins sampling service uses IANZ approved methodology and / or best practice to collect and transport samples that are fit for the purpose of analytical testing.

Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-038914-01

REPORT DATE

02/11/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00062858**SAMPLE CODE** 812-2022-00111622**Client Reference:** 258872-0**Sampling Point** WIL-HS1:Levin HS1**Reception Date & Time:** 14/10/2022 10:09**Analysis Start Date & Time:** 14/10/2022 10:51**Sampled Date & Time** 12/10/2022 12:49**Sampled by Eurofins** False**Analysis Ending Date:** 02/11/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.08 (± 0.02) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 14.2 (± 1.42) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 45 (± 8) mg/l 15

NW007 Chloride

Chloride (Cl) 22.5 (± 1.12) mg/l 0.02

NW023 Conductivity

Conductivity 24.3 (± 0.5) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) <0.005 (± 0.002) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 80 cfu/100 ml 4

NW460 Iron - Dissolved

Iron (Fe) 0.197 (± 0.039) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 7.41 (± 0.74) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 1.89 (± 0.19) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.7 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	19.8 (± 1.98) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.078 (± 0.008) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.06 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0015 (± 0.0004) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0129 (± 0.0026) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	<0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.01 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.002 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	21.8 (± 1.09) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	10 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	59 (± 6) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	66 (± 7) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	7.5 (± 0.7) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5
Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 92221; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Ivan Imamura Laboratory Analyst

Food & Water Testing**Leo Cleave** Senior Analyst**EXPLANATORY NOTE**

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable**Not Detected** means not detected at or above the Limit of Quantification (LOQ)**LOQ** means Limit of Quantification and the unit of LOQ is the same as the result unit

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037773-01**

REPORT DATE

24/10/2022**Attention** Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** RYANH (RYANH@HOROWHENUA.GOV.NZ), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00058385**SAMPLE CODE** **812-2022-00101877****Sampling Point** WIL-HS1:Levin HS1**Reception Date & Time:** 21/09/2022 18:05**Analysis Start Date & Time:** 21/09/2022 18:08**Sampled Date & Time** 20/09/2022 12:29**Sampled by Eurofins** False**Analysis Ending Date:** 24/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) <0.01 (± 0.004) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 12.4 (± 1.24) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 19.9 (± 1.00) mg/l 0.02

NW023 Conductivity

Conductivity 21.9 (± 0.4) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) <0.005 (± 0.002) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 32 cfu/100 ml 4

NW029 Hardness

Hardness 61 (± 6) mg CaCO3/l 1

NW460 Iron - Dissolved

Iron (Fe) 0.116 (± 0.023) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 7.20 (± 0.72) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 2.45 (± 0.25) mg/l 0.01

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	8.8 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	19.5 (± 1.95) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.025 (± 0.003) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.05 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0017 (± 0.0004) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0113 (± 0.0023) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	2.99 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	<0.002 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	22.0 (± 1.10) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	29 (± 7) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	48 (± 5) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	10.3 (± 1.0) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-032487-01**

REPORT DATE

15/09/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00052996**SAMPLE CODE** **812-2022-00087187****Sampling Point** WIL-HS1A:Levin HS1A**Reception Date & Time:** 17/08/2022 17:30**Analysis Start Date & Time:** 17/08/2022 17:42**Sampled Date & Time** 16/08/2022 12:08**Analysis Ending Date:** 15/09/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.06 (± 0.02) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 12.2 (± 1.22) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 47 (± 9) mg/l 15

NW007 Chloride

Chloride (Cl) 19.2 (± 0.96) mg/l 0.02

NW023 Conductivity

Conductivity 20.1 (± 0.4) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.028 (± 0.006) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 32 cfu/100 ml 4

NW029 Hardness

Hardness 54 (± 5) mg CaCO₃/l 1

NW460 Iron - Dissolved

Iron (Fe) 0.142 (± 0.028) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 5.64 (± 0.56) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 2.57 (± 0.26) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.3 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	15.7 (± 1.57) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.046 (± 0.005) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.05 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0023 (± 0.0005) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0142 (± 0.0028) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.58 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.007 (± 0.001) mg/l	0.002
NW011 Sulphate		
Sulphate	17.3 (± 0.86) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	7 (± 2) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	39 (± 4) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	7.0 (± 0.7) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③ VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor




Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Maria Norris Laboratory Manager, Microbiology

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins sampling service uses IANZ approved methodology and / or best practice to collect and transport samples that are fit for the purpose of analytical testing.

Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-038913-01

REPORT DATE

02/11/2022

Attention Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00062858**SAMPLE CODE** 812-2022-00111621**Client Reference:** 258873-0**Sampling Point** WIL-HS1A:Levin HS1A**Reception Date & Time:** 14/10/2022 10:09**Analysis Start Date & Time:** 14/10/2022 10:51**Sampled Date & Time** 12/10/2022 12:50**Sampled by Eurofins** False**Analysis Ending Date:** 02/11/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.03 (± 0.010) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 14.0 (± 1.40) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 55 (± 10) mg/l 15

NW007 Chloride

Chloride (Cl) 21.9 (± 1.09) mg/l 0.02

NW023 Conductivity

Conductivity 24.1 (± 0.5) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) <0.005 (± 0.002) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 80 cfu/100 ml 4

NW460 Iron - Dissolved

Iron (Fe) 0.123 (± 0.025) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 7.29 (± 0.73) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 1.88 (± 0.19) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.8 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	19.5 (± 1.95) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.045 (± 0.005) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.06 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0014 (± 0.0003) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0053 (± 0.0011) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	<0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	2.96 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	<0.002 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	21.6 (± 1.08) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	11 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	60 (± 6) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	65 (± 7) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	7.7 (± 0.8) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5
Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 92221; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Ivan Imamura Laboratory Analyst

Food & Water Testing**Leo Cleave** Senior Analyst**EXPLANATORY NOTE**

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable**Not Detected** means not detected at or above the Limit of Quantification (LOQ)**LOQ** means Limit of Quantification and the unit of LOQ is the same as the result unit

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037776-01**

REPORT DATE

24/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00058385**SAMPLE CODE** **812-2022-00101888****Sampling Point** WIL-HS1A:Levin HS1A**Reception Date & Time:** 21/09/2022 18:05**Analysis Start Date & Time:** 21/09/2022 18:29**Sampled Date & Time** 20/09/2022 12:29**Sampled by Eurofins** False**Analysis Ending Date:** 24/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 0.04 (± 0.01) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 13.7 (± 1.37) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 45 (± 8) mg/l 15

NW007 Chloride

Chloride (Cl) 20.1 (± 1.00) mg/l 0.02

NW023 Conductivity

Conductivity 22.8 (± 0.5) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.008 (± 0.002) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 48 cfu/100 ml 4

NW029 Hardness

Hardness 65 (± 7) mg CaCO3/l 1

NW460 Iron - Dissolved

Iron (Fe) 0.250 (± 0.050) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 7.60 (± 0.76) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 2.08 (± 0.21) mg/l 0.01

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.8 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	19.6 (± 1.96) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.023 (± 0.002) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.05 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0017 (± 0.0004) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.122 (± 0.0122) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0006 (± 0.0003) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.63 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.004 (± 0.0008) mg/l	0.002
NW011 Sulphate		
Sulphate	21.0 (± 1.05) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	37 (± 9) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	52 (± 5) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	9.1 (± 0.9) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-032485-01**

REPORT DATE

15/09/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00052996**SAMPLE CODE** **812-2022-00087185****Sampling Point** WIL-HS2:Levin HS2**Reception Date & Time:** 17/08/2022 17:30**Analysis Start Date & Time:** 17/08/2022 17:42**Sampled Date & Time** 16/08/2022 12:07**Analysis Ending Date:** 15/09/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.04 (± 0.01) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 12.7 (± 1.27) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 35 (± 7) mg/l 15

NW007 Chloride

Chloride (Cl) 19.4 (± 0.97) mg/l 0.02

NW023 Conductivity

Conductivity 20.3 (± 0.4) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.028 (± 0.006) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 4 cfu/100 ml 4

NW029 Hardness

Hardness 56 (± 6) mg CaCO₃/l 1

NW460 Iron - Dissolved

Iron (Fe) 0.161 (± 0.032) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 5.89 (± 0.59) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 2.58 (± 0.26) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.3 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	16.2 (± 1.62) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.058 (± 0.006) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.06 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0004) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0023 (± 0.0005) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0092 (± 0.0019) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.65 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.004 (± 0.0008) mg/l	0.002
NW011 Sulphate		
Sulphate	17.3 (± 0.87) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	37 (± 9) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	39 (± 4) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	7.7 (± 0.8) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③ VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor




Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Maria Norris Laboratory Manager, Microbiology

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins sampling service uses IANZ approved methodology and / or best practice to collect and transport samples that are fit for the purpose of analytical testing.

Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-038915-01

REPORT DATE

02/11/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00062858**SAMPLE CODE** 812-2022-00111626**Client Reference:** 258874-0**Sampling Point** WIL-HS2:Levin HS2**Reception Date & Time:** 14/10/2022 10:09**Analysis Start Date & Time:** 14/10/2022 10:51**Sampled Date & Time** 12/10/2022 12:48**Sampled by Eurofins** False**Analysis Ending Date:** 02/11/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.11 (± 0.03) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 14.9 (± 1.49) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 42 (± 8) mg/l 15

NW007 Chloride

Chloride (Cl) 22.9 (± 1.14) mg/l 0.02

NW023 Conductivity

Conductivity 24.8 (± 0.5) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) <0.005 (± 0.002) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 76 cfu/100 ml 4

NW460 Iron - Dissolved

Iron (Fe) 0.114 (± 0.023) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 7.70 (± 0.77) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 1.83 (± 0.18) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.7 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	20.7 (± 2.07) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.039 (± 0.004) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.06 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0010 (± 0.0003) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0135 (± 0.0027) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	<0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.14 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.004 (± 0.0008) mg/l	0.002
NW011 Sulphate		
Sulphate	21.2 (± 1.06) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	14 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	63 (± 6) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	69 (± 7) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	7.4 (± 0.7) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5
Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 92221; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Ivan Imamura Laboratory Analyst

Food & Water Testing**Leo Cleave** Senior Analyst**EXPLANATORY NOTE**

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable**Not Detected** means not detected at or above the Limit of Quantification (LOQ)**LOQ** means Limit of Quantification and the unit of LOQ is the same as the result unit

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037777-01**

REPORT DATE

24/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00058385**SAMPLE CODE** **812-2022-00101889****Sampling Point** WIL-HS2:Levin HS2**Reception Date & Time:** 21/09/2022 18:05**Analysis Start Date & Time:** 21/09/2022 18:29**Sampled Date & Time** 20/09/2022 12:30**Sampled by Eurofins** False**Analysis Ending Date:** 24/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 0.03 (± 0.009) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 13.1 (± 1.31) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 28 (± 7) mg/l 15

NW007 Chloride

Chloride (Cl) 21.2 (± 1.06) mg/l 0.02

NW023 Conductivity

Conductivity 22.8 (± 0.5) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) <0.005 (± 0.002) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 60 cfu/100 ml 4

NW029 HardnessHardness 64 (± 6) mg CaCO₃/l 1**NW460 Iron - Dissolved**

Iron (Fe) 0.222 (± 0.044) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 7.68 (± 0.77) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 2.45 (± 0.24) mg/l 0.01

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	8.3 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	21.0 (± 2.10) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.043 (± 0.004) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.05 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0017 (± 0.0004) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0141 (± 0.0028) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0006 (± 0.0003) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.25 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.005 (± 0.0009) mg/l	0.002
NW011 Sulphate		
Sulphate	23.2 (± 1.16) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	63 (± 15) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	50 (± 5) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	10.6 (± 1.1) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-032483-01**

REPORT DATE

15/09/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00052996**SAMPLE CODE** **812-2022-00087183****Sampling Point** WIL-HS3:Levin HS3**Reception Date & Time:** 17/08/2022 17:30**Analysis Start Date & Time:** 17/08/2022 17:42**Sampled Date & Time** 16/08/2022 12:06**Analysis Ending Date:** 15/09/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.05 (± 0.02) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 12.3 (± 1.23) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 38 (± 8) mg/l 15

NW007 Chloride

Chloride (Cl) 19.2 (± 0.96) mg/l 0.02

NW023 Conductivity

Conductivity 20.5 (± 0.4) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.023 (± 0.005) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 12 cfu/100 ml 4

NW029 Hardness

Hardness 55 (± 5) mg CaCO₃/l 1

NW460 Iron - Dissolved

Iron (Fe) 0.191 (± 0.038) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 5.75 (± 0.57) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 2.52 (± 0.25) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.4 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 ml/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	15.8 (± 1.58) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.049 (± 0.005) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.05 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0020 (± 0.0004) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0109 (± 0.0022) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	<0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.47 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.003 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	17.0 (± 0.85) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	17 (± 4) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	37 (± 4) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	6.9 (± 0.7) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager Microbiology

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins sampling service uses IANZ approved methodology and / or best practice to collect and transport samples that are fit for the purpose of analytical testing.

Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-038911-01

REPORT DATE

02/11/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00062858**SAMPLE CODE** 812-2022-00111612**Client Reference:** 258875-0**Sampling Point** WIL-HS3:Levin HS3**Reception Date & Time:** 14/10/2022 10:09**Analysis Start Date & Time:** 14/10/2022 10:51**Sampled Date & Time** 12/10/2022 12:48**Sampled by Eurofins** False**Analysis Ending Date:** 02/11/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.14 (± 0.04) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 15.4 (± 1.54) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 56 (± 10) mg/l 15

NW007 Chloride

Chloride (Cl) 24.0 (± 1.20) mg/l 0.02

NW023 Conductivity

Conductivity 25.5 (± 0.5) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) <0.005 (± 0.002) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 80 cfu/100 ml 4

NW460 Iron - Dissolved

Iron (Fe) 0.192 (± 0.039) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 7.91 (± 0.79) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 1.84 (± 0.18) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.6 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	20.9 (± 2.09) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.066 (± 0.007) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.07 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0015 (± 0.0004) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0161 (± 0.0032) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	<0.0005 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.63 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.003 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	21.0 (± 1.05) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	16 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	63 (± 6) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	71 (± 7) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	7.6 (± 0.8) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5
Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 92221; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Ivan Imamura Laboratory Analyst

Food & Water Testing**Leo Cleave** Senior Analyst**EXPLANATORY NOTE**

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable**Not Detected** means not detected at or above the Limit of Quantification (LOQ)**LOQ** means Limit of Quantification and the unit of LOQ is the same as the result unit

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037775-01**

REPORT DATE

24/10/2022**Attention** Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** RYANH (RYANH@HOROWHENUA.GOV.TZ), Water and Waste Team
(waterandwasteteam@horowhenua.gov.tz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00058385**SAMPLE CODE** **812-2022-00101887****Sampling Point** WIL-HS3:Levin HS3**Reception Date & Time:** 21/09/2022 18:05**Analysis Start Date & Time:** 21/09/2022 18:29**Sampled Date & Time** 20/09/2022 12:30**Sampled by Eurofins** False**Analysis Ending Date:** 24/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N)

<0.01 (± 0.004) mg/l

0.01

NW583 Arsenic - Soluble

Arsenic (As)

<0.001 (± 0.0004) mg/l

0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5

<6 (± 0.8) mg/l

1

NW457 Calcium - Dissolved

Calcium (Ca)

12.8 (± 1.28) mg/l

0.01

NW020 Chemical Oxygen DemandChemical oxygen demand
(COD)

44 (± 8) mg/l

15

NW007 Chloride

Chloride (Cl)

20.7 (± 1.03) mg/l

0.02

NW023 Conductivity

Conductivity

22.4 (± 0.4) mS/m

0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive)

<0.005 (± 0.002) mg/l

0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli

60 cfu/100 ml

4

NW029 Hardness

Hardness

62 (± 6) mg CaCO3/l

1

NW460 Iron - Dissolved

Iron (Fe)

0.135 (± 0.027) mg/l

0.005

NW462 Magnesium - Dissolved

Magnesium (Mg)

7.37 (± 0.74) mg/l

0.01

NW010 Nitrate-N

Nitrate-N

2.42 (± 0.24) mg/l

0.01

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	8.3 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	20.5 (± 2.05) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.026 (± 0.003) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.05 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0003) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0016 (± 0.0004) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0114 (± 0.0023) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0006 (± 0.0002) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	3.06 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.003 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	20.9 (± 1.05) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	57 (± 14) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	49 (± 5) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	11.1 (± 1.1) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③ VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-039134-01

REPORT DATE

03/11/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00062858**SAMPLE CODE** 812-2022-00111619**Client Reference:** 258871-0**Sampling Point** WIL-LP:Levin Leachate Pond**Reception Date & Time:** 14/10/2022 10:09**Analysis Start Date & Time:** 14/10/2022 10:51**Sampled Date & Time** 12/10/2022 12:46**Sampled by Eurofins** False**Analysis Ending Date:** 03/11/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 1640 (± 160) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) 0.442 (± 0.044) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 116 (± 17) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 110 (± 11.0) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 4080 (± 200) mg/l 15

NW007 Chloride

Chloride (Cl) 1280 (± 60.0) mg/l 0.02

NW023 Conductivity

Conductivity 1670 (± 30.0) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 15.7 (± 1.57) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW460 Iron - Dissolved

Iron (Fe) 7.40 (± 0.740) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 59.4 (± 5.94) mg/l 0.01

NW010 Nitrate-N

Nitrate-N <1.00 (± 0.10) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.7 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	0.070 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	1170 (± 120) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.907 (± 0.091) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	7.78 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	1.05 (± 0.105) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0107 (± 0.0022) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	0.0028 (± 0.0003) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	1.40 (± 0.140) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.147 (± 0.0147) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	762 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.060 (± 0.006) mg/l	0.002
NW011 Sulphate		
Sulphate	16.2 (± 0.81) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	46 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	7670 (± 770) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	520 (± 52) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	768 (± 76.8) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<50 mg/l	5
Butyric acid	<50 mg/l	5
Heptanoic Acid C7:0	<50 mg/l	5
Hexanoic acid	<50 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Iso caproic acid	<50 mg/l	5
Isobutyric acid	<50 mg/l	5
Isovaleric acid	<50 mg/l	5
Propionic acid	<50 mg/l	5
Valeric acid	<50 mg/l	5
Volatile fatty acids as acetic acid	<50 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Ivan Imamura Laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

Food & Water Testing

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-032484-01**

REPORT DATE

15/09/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00052996**SAMPLE CODE** **812-2022-00087184****Sampling Point** WIL-TD1:Levin TD1**Reception Date & Time:** 17/08/2022 17:30**Analysis Start Date & Time:** 17/08/2022 17:42**Sampled Date & Time** 16/08/2022 12:08**Analysis Ending Date:** 15/09/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 0.95 (± 0.28) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) <0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 20.7 (± 2.07) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 86 (± 14) mg/l 15

NW007 Chloride

Chloride (Cl) 51.3 (± 2.57) mg/l 0.02

NW023 Conductivity

Conductivity 43.2 (± 0.9) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.019 (± 0.004) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 68 cfu/100 ml 4

NW029 Hardness

Hardness 104 (± 10) mg CaCO₃/l 1

NW460 Iron - Dissolved

Iron (Fe) 1.03 (± 0.103) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 12.7 (± 1.27) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 1.74 (± 0.17) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.2 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	34.4 (± 3.44) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.024 (± 0.003) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.15 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0004) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0007 (± 0.0002) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0662 (± 0.0132) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0012 (± 0.0004) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	13.2 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.007 (± 0.001) mg/l	0.002
NW011 Sulphate		
Sulphate	2.86 (± 0.29) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	9 (± 3) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	117 (± 12) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	23.4 (± 2.3) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager




Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager Microbiology

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins sampling service uses IANZ approved methodology and / or best practice to collect and transport samples that are fit for the purpose of analytical testing.

Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE AR-22-NW-038912-01

REPORT DATE

02/11/2022

Attention Downer NZ Ltd (EDI Levin)

Horowhenua Admin

P O Box 642

4741 Levin

NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz**Copy to:** Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef**Contact for your orders:** Gabriela Carvalhaes
Contract: Landfill**Order code:** EUNZWE-00062858**SAMPLE CODE** 812-2022-00111614**Client Reference:** 258870-0**Sampling Point** WIL-TD1:Levin TD1**Reception Date & Time:** 14/10/2022 10:09**Analysis Start Date & Time:** 14/10/2022 10:51**Sampled Date & Time** 12/10/2022 12:51**Sampled by Eurofins** False**Analysis Ending Date:** 02/11/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) 10.8 (± 1.08) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) 0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <3 (± 0.4) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 61.5 (± 6.15) mg/l 0.01

NW020 Chemical Oxygen DemandChemical oxygen demand
(COD) 236 (± 24) mg/l 15**NW007 Chloride**

Chloride (Cl) 100 (± 5.01) mg/l 0.02

NW023 Conductivity

Conductivity 110 (± 2.2) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.022 (± 0.005) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli 48 cfu/100 ml 4

NW460 Iron - Dissolved

Iron (Fe) 0.333 (± 0.067) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 34.6 (± 3.46) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 3.77 (± 0.38) mg/l 0.01

NW195 pH

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.7 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	90.1 (± 9.01) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.014 (± 0.002) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.53 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	0.001 (± 0.0004) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	0.0013 (± 0.0003) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.514 (± 0.0514) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0030 (± 0.0009) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	33.9 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.003 (± 0.0008) mg/l	0.002
NW011 Sulphate		
Sulphate	1.94 (± 0.19) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	92 mg/l	3
NW003 Total Alkalinity		
Alkalinity total	382 (± 38) mg CaCO ₃ /l	1
NW029 Total Hardness		
Hardness	296 (± 30) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	32.0 (± 3.2) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5
Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Total Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 92221; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Ivan Imamura Laboratory Analyst



Leo Cleave Senior Analyst

EXPLANATORY NOTE

Food & Water Testing

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037774-01**

REPORT DATE

24/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00058385**SAMPLE CODE** **812-2022-00101878****Sampling Point** WIL-TD1:Levin TD1**Reception Date & Time:** 21/09/2022 18:05**Analysis Start Date & Time:** 21/09/2022 18:08**Sampled Date & Time** 20/09/2022 12:30**Sampled by Eurofins** False**Analysis Ending Date:** 24/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 2.24 (± 0.34) mg/l 0.01

NW583 Arsenic - Soluble

Arsenic (As) 0.001 (± 0.0004) mg/l 0.001

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW457 Calcium - Dissolved

Calcium (Ca) 19.4 (± 1.94) mg/l 0.01

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 67 (± 11) mg/l 15

NW007 Chloride

Chloride (Cl) 49.5 (± 2.48) mg/l 0.02

NW023 Conductivity

Conductivity 40.9 (± 0.8) mS/m 0.1

NW193 Dissolved Reactive Phosphorus

Phosphorus (soluble reactive) 0.032 (± 0.007) mg/l 0.005

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli >240 cfu/100 ml 4

NW029 Hardness

Hardness 102 (± 10) mg CaCO3/l 1

NW460 Iron - Dissolved

Iron (Fe) 2.41 (± 0.241) mg/l 0.005

NW462 Magnesium - Dissolved

Magnesium (Mg) 12.9 (± 1.29) mg/l 0.01

NW010 Nitrate-N

Nitrate-N 0.35 (± 0.09) mg/l 0.01

Food & Water Testing

	RESULTS (UNCERTAINTY)	LOQ
NW195 pH		
pH	7.1 (± 0.2)	0.1
③VQ088 Phenolics (Total)		
Total phenols	<0.05 mg/l	0.05
NW469 Sodium - Dissolved		
Sodium (Na)	44.6 (± 4.46) mg/l	0.02
NW098 Soluble Aluminium		
Aluminium	0.024 (± 0.002) mg/l	0.002
NW103 Soluble Boron		
Boron (B)	0.09 mg/l	0.03
NW104 Soluble Cadmium		
Cadmium (Cd)	<0.0002 (± 0.0001) mg/l	0.0002
NW106 Soluble Chromium		
Chromium (Cr)	<0.001 (± 0.0004) mg/l	0.001
NW108 Soluble Copper		
Copper (Cu)	<0.0005 (± 0.0002) mg/l	0.0005
NW110 Soluble Lead		
Lead (Pb)	<0.0005 (± 0.0002) mg/l	0.0005
NW113 Soluble Manganese		
Manganese (Mn)	0.0158 (± 0.0032) mg/l	0.0005
NW114 Soluble Mercury		
Mercury (Hg)	<0.0005 mg/l	0.0005
NW116 Soluble Nickel		
Nickel (Ni)	0.0008 (± 0.0003) mg/l	0.0005
NW117 Soluble Potassium		
Potassium (K)	8.47 mg/l	0.01
NW125 Soluble Zinc		
Zinc (Zn)	0.003 (± 0.0007) mg/l	0.002
NW011 Sulphate		
Sulphate	3.39 (± 0.34) mg/l	0.02
NW206 Suspended Solids		
Suspended Solids	13 (± 3) mg/l	3
NW003 Total Alkalinity		
Alkalinity total	117 (± 12) mg CaCO ₃ /l	1
NW210 Total Non-Purgeable Organic Carbon		
Total Organic Carbon	19.0 (± 1.9) mg/l	0.1
③VQ876 Volatile Fatty Acids (VFA) by GC-MS		
Acetic acid	<5 mg/l	5
Butyric acid	<5 mg/l	5
Heptanoic Acid C7:0	<5 mg/l	5
Hexanoic acid	<5 mg/l	5
Iso caproic acid	<5 mg/l	5
Isobutyric acid	<5 mg/l	5
Isovaleric acid	<5 mg/l	5

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

③VQ876 Volatile Fatty Acids (VFA) by GC-MS

Propionic acid	<5 mg/l	5
Valeric acid	<5 mg/l	5
Volatile fatty acids as acetic acid	<5 mg/l	5

LIST OF METHODS

NW003 Total Alkalinity: APHA Online Edition 2320 B	NW007 Chloride: APHA Online Edition 4110 B
NW010 Nitrate-N: APHA Online Edition 4110 B	NW011 Sulphate: APHA Online Edition 4110 B
NW020 Chemical Oxygen Demand: APHA Online Edition 5220 D	NW023 Conductivity: APHA Online Edition 2510 B
NW029 Hardness: APHA Online Edition 2340 B	NW098 Soluble Aluminium: APHA Online Edition 3125 B mod.
NW103 Soluble Boron: APHA Online Edition 3125 B mod.	NW104 Soluble Cadmium: APHA Online Edition 3125 B mod.
NW106 Soluble Chromium: APHA Online Edition 3125 B mod.	NW108 Soluble Copper: APHA Online Edition 3125 B mod.
NW110 Soluble Lead: APHA Online Edition 3125 B mod.	NW113 Soluble Manganese: APHA Online Edition 3125 B mod.
NW114 Soluble Mercury: APHA Online Edition 3125 B mod.	NW116 Soluble Nickel: APHA Online Edition 3125 B mod.
NW117 Soluble Potassium: APHA Online Edition 3125 B mod.	NW125 Soluble Zinc: APHA Online Edition 3125 B mod.
NW179 Ammonia Nitrogen: APHA Online Edition 4500-NH3 H	NW193 Dissolved Reactive Phosphorus: APHA Online Edition 4500-P G
NW195 pH: APHA Online Edition 4500-H B	NW206 Suspended Solids: APHA Online Edition 2540 D
NW210 Total Non-Purgeable Organic Carbon: APHA Online Edition 5310 B	NW341 BOD5 - Soluble Carbonaceous: APHA Online Edition 5210 B
NW457 Calcium - Dissolved: APHA Online Edition 3120 B mod.	NW460 Iron - Dissolved: APHA Online Edition 3120 B mod.
NW462 Magnesium - Dissolved: APHA Online Edition 3120 B mod.	NW469 Sodium - Dissolved: APHA Online Edition 3120 B mod.
NW583 Arsenic - Soluble: APHA Online Edition 3125 B mod.	VQ088 Phenolics (Total): APHA 5530
VQ876 Volatile Fatty Acids (VFA) by GC-MS: APHA 5560-D	ZM0UY Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F: SMEWW 9222i; APHA Online

Signature




Marylou Cabral Laboratory Manager



Jennifer Mont Supervisor



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior laboratory Analyst



Sunita Raju Business Unit Manager

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037265-01**

REPORT DATE

20/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** **812-2022-00109750****Sampling Point** WIL-Xd1:Levin Xd1**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 11:45**Collected By Eurofins** False**Analysis Ending Date:** 20/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 0.36 (± 0.11) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 57.2 (± 2.86) mg/l 0.02

NW023 Conductivity

Conductivity 53.3 (± 1.1) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.003) mg/l 0.01

NW195 pH

pH 7.4 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium <0.002 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.04 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.500 (± 0.0500) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

<0.0005 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORTREPORT CODE **AR-22-NW-037002-01**

REPORT DATE

19/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: RYANH (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Lauren May
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** **812-2022-00109754****Sampling Point** WIL-Xs1:Levin Xs1**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 10:50**Sampled by Eurofins** False**Analysis Ending Date:** 19/10/2022**Sampler(s)** Client nominated external sampler**RESULTS (UNCERTAINTY) LOQ****NW179 Ammonia Nitrogen**

Ammoniacal nitrogen (N) 11.3 (± 1.13) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) 67 (± 11) mg/l 15

NW007 Chloride

Chloride (Cl) 56.0 (± 2.80) mg/l 0.02

NW023 Conductivity

Conductivity 88.8 (± 1.8) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N <0.01 (± 0.004) mg/l 0.01

NW195 pH

pH 6.5 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.010 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) 0.14 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 1.26 (± 0.126) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

0.0010 (± 0.0004) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online


Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

END OF REPORT

Food & Water Testing

ANALYTICAL REPORT

REPORT CODE **AR-22-NW-037268-01**

REPORT DATE

20/10/2022

Attention Downer NZ Ltd (EDI Levin)
Horowhenua Admin
P O Box 642
4741 Levin
NEW ZEALAND

Phone (06) 367 2705**Email** horowhenuaadmin@downer.co.nz

Copy to: Ryanh (RyanH@horowhenua.govt.nz), Water and Waste Team
(waterandwasteteam@horowhenua.govt.nz), Yvettef

Contact for your orders: Gabriela Carvalhaes
Contract: Landfill

Order code: EUNZWE-00061940**SAMPLE CODE** **812-2022-00109756****Sampling Point** WIL-Xs2:Levin Xs2**Reception Date & Time:** 11/10/2022 12:57**Analysis Start Date & Time:** 11/10/2022 13:11**Sampled Date & Time** 10/10/2022 11:20**Collected By Eurofins** False**Analysis Ending Date:** 20/10/2022**Sampler(s)** Client nominated external sampler

RESULTS (UNCERTAINTY) LOQ

NW179 Ammonia Nitrogen

Ammoniacal nitrogen (N) <0.01 (± 0.003) mg/l 0.01

NW341 BOD5 - Soluble Carbonaceous

BOD5 <6 (± 0.8) mg/l 1

NW020 Chemical Oxygen Demand

Chemical oxygen demand (COD) <15 (± 5) mg/l 15

NW007 Chloride

Chloride (Cl) 14.9 (± 0.75) mg/l 0.02

NW023 Conductivity

Conductivity 16.8 (± 0.3) mS/m 0.1

ZM0UY Enumeration of Escherichia coli By Membrane Filtration

Escherichia coli <4 cfu/100 ml 4

NW010 Nitrate-N

Nitrate-N 1.34 (± 0.13) mg/l 0.01

NW195 pH

pH 6.7 (± 0.2) 0.1

NW098 Soluble Aluminium

Aluminium 0.007 (± 0.001) mg/l 0.002

NW103 Soluble Boron

Boron (B) <0.03 mg/l 0.03

NW110 Soluble Lead

Lead (Pb) <0.0005 (± 0.0002) mg/l 0.0005

NW113 Soluble Manganese

Manganese (Mn) 0.0314 (± 0.0063) mg/l 0.0005

NW114 Soluble Mercury

Mercury (Hg) <0.0005 mg/l 0.0005

Food & Water Testing

RESULTS (UNCERTAINTY) LOQ

NW116 Soluble Nickel

Nickel (Ni)

<0.0005 (± 0.0002) mg/l

0.0005

LIST OF METHODS

NW007 **Chloride:** APHA Online Edition 4110 B

NW020 **Chemical Oxygen Demand:** APHA Online Edition 5220 D

NW098 **Soluble Aluminium:** APHA Online Edition 3125 B mod.

NW110 **Soluble Lead:** APHA Online Edition 3125 B mod.

NW114 **Soluble Mercury:** APHA Online Edition 3125 B mod.

NW179 **Ammonia Nitrogen:** APHA Online Edition 4500-NH3 H

NW341 **BOD5 - Soluble Carbonaceous:** APHA Online Edition 5210 B

NW010 **Nitrate-N:** APHA Online Edition 4110 B

NW023 **Conductivity:** APHA Online Edition 2510 B

NW103 **Soluble Boron:** APHA Online Edition 3125 B mod.

NW113 **Soluble Manganese:** APHA Online Edition 3125 B mod.

NW116 **Soluble Nickel:** APHA Online Edition 3125 B mod.


NW195 **pH:** APHA Online Edition 4500-H B

ZM0UY **Escherichia coli E (Water) [NZ] <4 >240 /100 ml (0) m-FC Agar-F:** SMEWW 9222I; APHA Online

Signature



Amitesh Kumar Supervisor



Divina Cunanan Lagazon Supervisor



Gordon McArthur Senior Laboratory Analyst



Sunita Raju Business Unit Manager
Food and Water Testing
Micro



Ivan Imamura Laboratory Analyst

EXPLANATORY NOTE

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited

N/A means Not applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

Food & Water Testing

This document can only be reproduced in full.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND.

The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

This report issued by Eurofins relates exclusively to the samples provided by the Customer and does not relate to the lot / batch from which the samples have been obtained.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Customer acknowledges and accepts that: (a) it is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the sample.

The Eurofins water sampling services uses IANZ approved methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. Eurofins shall have no liability if the sample collected is not representative of the source from which it has been taken. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the then current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.


Eurofins General Terms and Conditions apply.

END OF REPORT


Appendix D Historical Results Graphs



Sand Aquifer Downgradient of New Landfill - Boron Concentrations




Sand Aquifer Downgradient of New Landfill - Chloride Concentrations




Sand Aquifer Downgradient of New Landfill - Ammoniacal-Nitrogen Concentrations


Note: Y-axis scale is Logarithmic




Sand Aquifer Downgradient of New Landfill - Conductivity Levels




Sand Aquifer Downgradient of New Landfill - Sodium Concentrations




Sand Aquifer Downgradient of New Landfill - E. coli




Gravel Aquifer - Boron Concentrations




Gravel Aquifer - Chloride Concentrations




Gravel Aquifer - Ammoniacal-Nitrogen Concentrations
Note: Y-axis scale is Logarithmic




Gravel Aquifer - Conductivity Levels




Gravel Aquifer - Sodium Levels




Gravel Aquifer - E. coli




Sand Aquifer Downgrade of Old Landfill - Boron Concentrations




Sand Aquifer Downgradient of Old Landfill - Chloride Concentrations




Sand Aquifer Downgradient of Old Landfill - Ammonia-N Concentrations




Sand Aquifer Downgradient of Old Landfill - Conductivity Levels




Sand Aquifer Downgradient of Old Landfill - Sodium Concentrations




Sand Aquifer Downgradient of Old Landfill - E. coli




Irrigation Area - Boron Concentrations




Irrigation Area - Chloride Concentrations




Irrigation Area - Ammoniacal-Nitrogen Concentrations
Note: Y-axis scale is Logarithmic




Irrigation Area - Conductivity Levels




Irrigation Area - Sodium Concentrations




Irrigation Area - E. coli




Hokio Stream - Boron Concentrations




Hokio Stream - Chloride Concentrations




Hokio Stream - Ammoniacal-N Concentrations




Hokio Stream - Conductivity



Hokio Stream Sodium Concentrations



Hokio Stream - E. coli



Appendix E Landfill Gas Monitoring Results at GW Bores for October 2022



Created	Borehole	Methane (% CH ₄)	Carbon Dioxide (% CO ₂)	Hydrogen Sulphide (ppm H ₂ S)	Oxygen (% O ₂)
4/10/2022	Levin Landfill: Levin Xs2	0	0.17	0	20.8
4/10/2022	Levin Landfill: Levin Xs1	0.05	0.12	0	20.1
4/10/2022	Levin Landfill: Levin Xd1	0	0.14	0	20.1
4/10/2022	Levin Landfill: Levin G1s	0	0.04	0	20.9
4/10/2022	Levin Landfill: Levin G1d	0	0.04	0	20.8
4/10/2022	Levin Landfill: Levin F1	0	0.06	0	21
4/10/2022	Levin Landfill: Levin D1	0	0.16	0	20.4
4/10/2022	Levin Landfill: Levin D2	0	0.64	0	19.9
4/10/2022	Levin Landfill: Levin D6	0.11	0.09	0	20.8
4/10/2022	Levin Landfill: Levin E1d	0.16	0.08	1	20.9
4/10/2022	Levin Landfill: Levin E1s	0.26	0.07	0	20.8
4/10/2022	Levin Landfill: Levin D4	0.56	0.08	0	21.4
4/10/2022	Levin Landfill: Levin D5	0.45	0.12	0	21.5
4/10/2022	Levin Landfill: Levin D3rd	0.38	0.11	0	21.1
4/10/2022	Levin Landfill: Levin D3rs	0.45	0.17	0	21.1
4/10/2022	Levin Landfill: Levin F3	0.36	0.13	0	21.4
4/10/2022	Levin Landfill: Levin F2	0.27	0.51	0	19.9
4/10/2022	Levin Landfill: Levin B1	0.08	0.29	0	19.7
4/10/2022	Levin Landfill: Levin B2	0.18	1.48	0	17.9
4/10/2022	Levin Landfill: Levin G2s	0	0.98	0	18.9
4/10/2022	Levin Landfill: Levin C2ds	0	0.33	0	20.9
4/10/2022	Levin Landfill: Levin C2dd	0.08	0.28	0	21.3
4/10/2022	Levin Landfill: Levin C2	0	0.16	0	21.5
4/10/2022	Levin Landfill: Levin C1	No gas sampling occurred			
4/10/2022	Levin Landfill: Levin B3s	0	0.03	0	21.4
4/10/2022	Levin Landfill: Levin E2d	0	0.06	0	21.2
4/10/2022	Levin Landfill: Levin E2s	0	0.08	0	21.2



CREATING COMMUNITIES

Communities are fundamental. Whether around the corner or across the globe, they provide a foundation, a sense of belonging. That's why at Stantec, we always **design with community in mind**.

We care about the communities we serve—because they're our communities too. We're designers, engineers, scientists, and project managers, innovating together at the intersection of community, creativity, and client relationships. Balancing these priorities results in projects that advance the quality of life in communities across the globe.

New Zealand offices:

Alexandra, Auckland, Balclutha, Christchurch,
Dunedin, Gisborne, Greymouth, Hamilton, Hastings,
Nelson, Palmerston North, Queenstown, Tauranga,
Wellington, Whangārei

118 Fitzherbert Avenue, Palmerston North, 4410
PO Box 13-052, Armagh, Christchurch, 8141
New Zealand: +64 6 357 4034 | www.stantec.com

